

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

<u>NEWS 1</u>		Web Page URLs for STN Seminar Schedule - N. America
<u>NEWS 2</u>		"Ask CAS" for self-help around the clock
<u>NEWS 3</u>	SEP 09	CA/CAPLUS records now contain indexing from 1907 to the present
<u>NEWS 4</u>	Jul 15	Data from 1960-1976 added to RDISCLOSURE
<u>NEWS 5</u>	Jul 21	Identification of STN records implemented
<u>NEWS 6</u>	Jul 21	Polymer class term count added to REGISTRY
<u>NEWS 7</u>	Jul 22	INPADOC: Basic index (/BI) enhanced; Simultaneous Left and Right Truncation available
<u>NEWS 8</u>	AUG 05	New pricing for EUROPATFULL and PCTFULL effective August 1, 2003
<u>NEWS 9</u>	AUG 13	Field Availability (/FA) field enhanced in BEILSTEIN
<u>NEWS 10</u>	AUG 15	PATDPAFULL: one FREE connect hour, per account, in September 2003
<u>NEWS 11</u>	AUG 15	PCTGEN: one FREE connect hour, per account, in September 2003
<u>NEWS 12</u>	AUG 15	RDISCLOSURE: one FREE connect hour, per account, in September 2003
<u>NEWS 13</u>	AUG 15	TEMA: one FREE connect hour, per account, in September 2003
<u>NEWS 14</u>	AUG 18	Data available for download as a PDF in RDISCLOSURE
<u>NEWS 15</u>	AUG 18	Simultaneous left and right truncation added to PASCAL
<u>NEWS 16</u>	AUG 18	FROSTI and KOSMET enhanced with Simultaneous Left and Right Truncation
<u>NEWS 17</u>	AUG 18	Simultaneous left and right truncation added to ANABSTR
<u>NEWS 18</u>	SEP 22	DIPPR file reloaded
<u>NEWS 19</u>	SEP 25	INPADOC: Legal Status data to be reloaded
<u>NEWS 20</u>	SEP 29	DISSABS now available on STN
<u>NEWS EXPRESS</u>	OCTOBER 01	CURRENT WINDOWS VERSION IS V6.01a, CURRENT MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP), AND CURRENT DISCOVER FILE IS DATED 23 SEPTEMBER 2003
<u>NEWS HOURS</u>		STN Operating Hours Plus Help Desk Availability
<u>NEWS INTER</u>		General Internet Information
<u>NEWS LOGIN</u>		Welcome Banner and News Items
<u>NEWS PHONE</u>		Direct Dial and Telecommunication Network Access to STN
<u>NEWS WWW</u>		CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 16:50:42 ON 01 OCT 2003

=> g

G IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 16:50:49 ON 01 OCT 2003  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 SEP 2003 HIGHEST RN 596082-96-1  
 DICTIONARY FILE UPDATES: 30 SEP 2003 HIGHEST RN 596082-96-1

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:  
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>


=>  
 L1 STRUCTURE UPLOADED

=> d 11  
 L1 HAS NO ANSWERS  
 L1 STR  
 16 0 M1 H 17


0 14 S 15

1

Page 1-A



Page 1-B



Page 2-B

VAR G1=14/15

VAR G2=16/17

NODE ATTRIBUTES:

HCOUNT	IS	M1	AT	1
HCOUNT	IS	M1	AT	2
HCOUNT	IS	M1	AT	5
HCOUNT	IS	M1	AT	6
HCOUNT	IS	M1	AT	9
HCOUNT	IS	M1	AT	16
NSPEC	IS	R	AT	1
NSPEC	IS	R	AT	2
NSPEC	IS	R	AT	3
NSPEC	IS	R	AT	4
NSPEC	IS	R	AT	5
NSPEC	IS	R	AT	6
NSPEC	IS	C	AT	7
NSPEC	IS	C	AT	8
NSPEC	IS	C	AT	9
NSPEC	IS	C	AT	10
NSPEC	IS	C	AT	11
NSPEC	IS	C	AT	12
NSPEC	IS	C	AT	13

DEFAULT MLEVEL IS ATOM  
 MLEVEL IS CLASS AT 7 8 9 10 14 15 16 17  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC I

NUMBER OF NODES IS 17

STEREO ATTRIBUTES: NONE

=> s 11

SAMPLE SEARCH INITIATED 16:53:40 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 473 TO ITERATE

100.0% PROCESSED 473 ITERATIONS

24 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 8156 TO 10764

PROJECTED ANSWERS: 187 TO 773

L2

24 SEA SSS SAM L1

=> s l1 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 147.75 U.S. DOLLARS  
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N.or END:y  
FULL SEARCH INITIATED 16:53:45 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 9799 TO ITERATE

100.0% PROCESSED 9799 ITERATIONS 631 ANSWERS  
SEARCH TIME: 00.00.01

L3 631 SEA SSS FUL L1

=> file hcaplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	149.75	149.96

FILE 'HCAPLUS' ENTERED AT 16:53:49 ON 01 OCT 2003  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 1 Oct 2003 VOL 139 ISS 14  
FILE LAST UPDATED: 30 Sep 2003 (20030930/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3

L4 163 L3

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	2.25	152.21

FILE 'REGISTRY' ENTERED AT 16:54:07 ON 01 OCT 2003  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 SEP 2003 HIGHEST RN 596082-96-1  
DICTIONARY FILE UPDATES: 30 SEP 2003 HIGHEST RN 596082-96-1

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See [HELP CROSSOVER](#) for details.

Experimental and calculated property data are now available. See [HELP PROPERTIES](#) for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:  
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=>

L5 STRUCTURE UPLOADED


=> d 15

L5 HAS NO ANSWERS


L5 STR

21 0 M1 H 22


0 19 S 20



Page 1-A



Page 1-B



Page 2-B

M1

Page 3-B

VAR G1=19/20

VAR G2=21/22

VPA 10-13/14/15/16/18 S

NODE ATTRIBUTES:

HCOUNT	IS	M1	AT	1
HCOUNT	IS	M1	AT	2
HCOUNT	IS	M1	AT	5
HCOUNT	IS	M1	AT	6
HCOUNT	IS	M1	AT	9
HCOUNT	IS	M1	AT	13
HCOUNT	IS	M1	AT	14
HCOUNT	IS	M1	AT	15
HCOUNT	IS	M1	AT	16
HCOUNT	IS	M1	AT	18
HCOUNT	IS	M1	AT	21
NSPEC	IS	R	AT	1
NSPEC	IS	R	AT	2
NSPEC	IS	R	AT	3
NSPEC	IS	R	AT	4
NSPEC	IS	R	AT	5
NSPEC	IS	R	AT	6
NSPEC	IS	C	AT	7
NSPEC	IS	C	AT	8
NSPEC	IS	C	AT	9
NSPEC	IS	C	AT	10
NSPEC	IS	C	AT	11
NSPEC	IS	C	AT	12
NSPEC	IS	R	AT	13
NSPEC	IS	R	AT	14
NSPEC	IS	R	AT	15
NSPEC	IS	R	AT	16
NSPEC	IS	R	AT	17
NSPEC	IS	R	AT	18

DEFAULT MLEVEL IS ATOM  
 MLEVEL IS CLASS AT 7 8 9 10 13 19 20 21 22  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RSPEC I  
 NUMBER OF NODES IS 22

STEREO ATTRIBUTES: NONE

=> s 15  
 SAMPLE SEARCH INITIATED 16:56:14 FILE 'REGISTRY'  
 SAMPLE SCREEN SEARCH COMPLETED - 132 TO ITERATE

100.0% PROCESSED 132 ITERATIONS 0 ANSWERS  
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
 BATCH \*\*COMPLETE\*\*  
 PROJECTED ITERATIONS: 1951 TO 3329  
 PROJECTED ANSWERS: 0 TO 0

L6 0 SEA SSS SAM L5

=> s 15 full  
 THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 147.75 U.S. DOLLARS  
 DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y  
 FULL SEARCH INITIATED 16:56:21 FILE 'REGISTRY'  
 FULL SCREEN SEARCH COMPLETED - 2781 TO ITERATE

100.0% PROCESSED 2781 ITERATIONS 0 ANSWERS  
 SEARCH TIME: 00.00.01

L7 0 SEA SSS FUL L5

=> file hcaplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	149.35	301.56

FILE 'HCAPLUS' ENTERED AT 16:56:39 ON 01 OCT 2003  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS '1907 - 1 Oct 2003 VOL 139 ISS 14  
 FILE LAST UPDATED: 30 Sep 2003 (20030930/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d his

(FILE 'HOME' ENTERED AT 16:50:42 ON 01 OCT 2003)

FILE 'REGISTRY' ENTERED AT 16:50:49 ON 01 OCT 2003

L1 STRUCTURE UPLOADED  
L2 24 S L1  
L3 631 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 16:53:49 ON 01 OCT 2003

L4 163 S L3

FILE 'REGISTRY' ENTERED AT 16:54:07 ON 01 OCT 2003

L5 STRUCTURE UPLOADED  
L6 0 S L5  
L7 0 S L5 FULL

FILE 'HCAPLUS' ENTERED AT 16:56:39 ON 01 OCT 2003

=> s l4 and pd < october 1999

19676477 PD < OCTOBER 1999

(PD<19991000)

L8 124 L4 AND PD < OCTOBER 1999

=> s l8, ibib abs fhitr, 1-124

723 'L8'  
14 IBIB  
209181 ABS  
5 ABSES  
209186 ABS  
(ABS OR ABSES)  
0 FHITSTR

7685990 1

41062 124

L9 0 L8, IBIB ABS FHITSTR, 1-124  
( 'L8' (W) IBIB (W) ABS (W) FHITSTR (W) 1 (W) 124)

=> d l8, ibib abs fhitr, 1-124

L8 ANSWER 1 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER: 2000:269511 HCAPLUS

DOCUMENT NUMBER: 133:26052

TITLE: Synthesis, structure and properties of manganese(II) complexes with aroylhydrazones of 2-pyridine-carboxaldehyde

AUTHOR(S): Choudhury, Amitava; Geetha, Banda; Sangeetha, Nimma Rajaiah; Kavita, Vanaparathi; Susila, Vishnubhatla; Pal, Samudranil

CORPORATE SOURCE: School of Chemistry, University of Hyderabad, Hyderabad, 500 046, India

SOURCE: Journal of Coordination Chemistry (1999), 48(1), 87-95  
CODEN: JCCMBQ; ISSN: 0095-8972

PUBLISHER: Gordon & Breach Science Publishers

DOCUMENT TYPE: Journal



LANGUAGE: English

AB Mn(II) complexes of terdentate N,N,O donor Schiff bases (HL) are described. The ligands Hpabh, Hpamh and Hpadh were obtained by condensing 2-pyridine-carboxaldehyde with benzhydrazide, 4-methoxybenzhydrazide and 4-dimethylaminobenzhydrazide, resp. The reaction of HL with Mn(II) acetate tetrahydrate affords [MnL2]. The crystal structure detn. of [Mn(pabh)2] was performed. The complex crystallizes in the space group P21/n with a 9.836(3), b 23.994(7), c 10.222(3) Å, β 104.14(3)° and Z = 4. In the distorted octahedral MnN4O2 coordination sphere each ligand acts as a meridional N,N,O donor using pyridine-N, imine-N and amide-O atoms. Electronic spectra of the complexes display charge transfer bands in the range 404-298 nm. Room temp. solid state magnetic moments (5.88-6.12 μB) of the complexes are consistent with a high-spin d5 system. EPR spectra of the complexes suggest a similar distorted octahedral N4O2 coordination sphere around Mn(II) in each complex.


IT 1215-55-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(for prepn. of manganese pyridinecarboxaldehyde aroylhydrazone complexes)

RN 1215-55-0 HCAPLUS

CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT: 31 THERE ARE 31 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 2000:72793 HCAPLUS

DOCUMENT NUMBER: 132:202643

TITLE: Cytotoxicity of salicylaldehyde benzoylhydrazone analogs and their transition metal complexes: quantitative structure-activity relationships

AUTHOR(S): Ainscough, Eric W.; Brodie, Andrew M.; Denny, William A.; Finlay, Graeme J.; Gothe, Scott A.; Ranford, John D.

CORPORATE SOURCE: Department of Chemistry, Institute of Fundamental Sciences, Massey University, Palmerston North, N. Z.

SOURCE: Journal of Inorganic Biochemistry (1999), 77(3-4), 125-133

CODEN: JIBIDJ; ISSN: 0162-0134

PUBLISHER: Elsevier Science Inc.

DOCUMENT TYPE: Journal

LANGUAGE: English

AB A series of salicylaldehyde benzoylhydrazone derivs., their copper(II) complexes and a range of transition metal complexes of the unsubstituted ligand has been synthesized and evaluated for cytotoxicity against a human adenocarcinoma cell line. A QSAR anal. revealed ligand cytotoxicity is strongly correlated with electronic and transport factors and can be modeled by treating each "half" of the mol. as an isolated unit. Activity increases when substituents in the benzoyl ring were electron withdrawing

whereas, for the salicylaldehyde ring, electron donation was required. The cytotoxicity of the Cu(II) complexes was greater than, and paralleled the ligands. Activity for the transition metal complexes of the unsubstituted ligand mirrored charge d. on the metal.


IT 18176-38-0P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(QSAR anal of salicylaldehyde benzoylhydrazone analogs and their transition metal complexes)

RN 18176-38-0 HCAPLUS

CN Benzoic acid, 2-hydroxy-, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT:

38

THERE ARE 38 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 3 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER:

2000:42711 HCAPLUS

DOCUMENT NUMBER:

132:144676

TITLE:

The biologically active iron chelators  
2-pyridylcarboxaldehyde isonicotinoylhydrazone,  
2-pyridylcarboxaldehyde benzoylhydrazone monohydrate  
and 2-furaldehyde isonicotinoylhydrazone

AUTHOR(S):

Richardson, Des R.; Becker, Erika; Bernhardt, Paul V.

CORPORATE SOURCE:

Department of Medicine, Royal Brisbane Hospital,  
University of Queensland, Brisbane, 4029, Australia

SOURCE:

Acta Crystallographica, Section C: Crystal Structure  
Communications (1999), C55(12), 2102-2105  
CODEN: ACSCEE; ISSN: 0108-2701

PUBLISHER:

Munksgaard International Publishers Ltd.

DOCUMENT TYPE:

Journal

LANGUAGE:

English

AB In the crystal structures of the resp. title compds., C<sub>12</sub>H<sub>10</sub>N<sub>4</sub>O, C<sub>13</sub>H<sub>11</sub>N<sub>3</sub>O·H<sub>2</sub>O and C<sub>11</sub>H<sub>9</sub>N<sub>3</sub>O<sub>2</sub>, variations in the torsion angles of the arom. pyridyl and benzoyl groups are obsd., and the disposition of the heterocyclic aldehyde is influenced by the ring size of this group. Crystallog. data are given.

IT 257299-41-5


RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)

(crystal structure of biol. active iron chelator of)

RN 257299-41-5 HCAPLUS

CN 4-Pyridinecarboxylic acid, (2E)-(2-pyridinylmethylene)hydrazide, stereoisomer (9CI) (CA INDEX NAME)

Double bond geometry as shown.



REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 4 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1999:783045 HCAPLUS  
 DOCUMENT NUMBER: 132:246303  
 TITLE: Development of novel aroylhydrazone ligands for iron chelation therapy: 2-pyridylcarboxaldehyde isonicotinoyl hydrazone analogs  
 AUTHOR(S): Becker, Erika; Richardson, Des R.  
 CORPORATE SOURCE: Department of Medicine, Royal Brisbane Hospital, University of Queensland, Brisbane, Australia  
 SOURCE: Journal of Laboratory and Clinical Medicine (1999), 134(5), 510-521  
 CODEN: JLCMAK; ISSN: 0022-2143  
 PUBLISHER: Mosby, Inc.  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB Previous studies have demonstrated that aroylhydrazone iron (Fe) chelators of the pyridoxal isonicotinoyl hydrazone (PIH) class have high Fe chelation efficacy both in vitro and in vivo. Depending on their design, these drugs may have potential as agents for the treatment of Fe overload disease or cancer. Considering the high potential of this class of ligands, we have synthesized seven novel aroylhydrazones in an attempt to identify Fe chelators more efficient than desferrioxamine (DFO) and more sol. than those of the PIH class. These compds. belong to a new series of tridentate chelators known as the 2-pyridylcarboxaldehyde isonicotinoyl hydrazones (PCIH). In this study we have examd. the Fe chelation efficacy and antiproliferative activity of these chelators including their effects on the expression of genes (WAF1 and GADD45) known to be important in mediating cell cycle arrest at G1/S. From seven chelators synthesized, three ligands, namely 2-pyridylcarboxaldehyde benzoyl hydrazone (PCBH), 2-pyridylcarboxaldehyde m-bromobenzoyl hydrazone (PCBBH), and 2-pyridylcarboxaldehyde 2-thiophenecarboxyl hydrazone (PCTH), showed greater Fe chelation activity than DFO and comparable or greater efficiency than PIH. These ligands were highly effective at both mobilizing <sup>59</sup>Fe from cells and preventing <sup>59</sup>Fe uptake from <sup>59</sup>Fe-transferrin and caused a marked increase in the RNA-binding activity of the iron-regulatory proteins (IRP). Our studies have also demonstrated that compared with the cytotoxic Fe chelator, 2-hydroxy-1-naphthylaldehyde isonicotinoyl hydrazone (311), these ligands have far less effect on cellular growth and <sup>3</sup>H-thymidine, <sup>3</sup>H-leucine, or <sup>3</sup>H-uridine incorporation. In addn., in contrast to 311, which markedly increased WAF1 and GADD45 mRNA expression, PCBH and PCTH did not have any effect, whereas PCBBH increased the expression of GADD45 mRNA. Collectively, these results demonstrate the potential of several of these ligands as agents for the management of Fe overload disease.


IT 1215-55-0

RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(iron chelation by 2-pyridylcarboxaldehyde isonicotinoyl hydrazone analogs)

RN 1215-55-0 HCAPLUS

CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT: 52 THERE ARE 52 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 5 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1999:778596 HCAPLUS

DOCUMENT NUMBER: 132:100706

TITLE: N,N'-bis(picolinoyl)hydrazine

AUTHOR(S): Shao, Sichang; Zhu, Dunru; Song, You; You, Xiao Zeng; Raj, S. Shanmuga Sundara; Fun, Hoong-Kun

CORPORATE SOURCE: Coordination Chemistry Institute & State Key Laboratory of Coordination Chemistry, Nanjing University, Nanjing, 210093, Peop. Rep. China

SOURCE: Acta Crystallographica, Section C: Crystal Structure Communications (1999), C55(11), 1841-1843

CODEN: ACSCEE; ISSN: 0108-2701

PUBLISHER: Munksgaard International Publishers Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Crystals of the title compd. are monoclinic, space group C2/c, with a 13.4224(1), b 11.1181(1), c 7.5341(6) Å, β 97.761(3)°; Z = 4, dc = 1.444; R = 0.052, Rw(F2) = 0.146 for 1375 reflections. It is nonplanar and twisted as butterfly wings. The two carbonyl bonds are located in an s-syn conformation relative to the N-N bond, through which there is a crystallog. 2-fold axis. The mols. are packed in chains running along the c axis.


IT 840-79-9, N,N'-Bis(picolinoyl)hydrazine

RL: PRP (Properties)

(crystal structure of)

RN 840-79-9 HCAPLUS

CN 2-Pyridinecarboxylic acid, 2-(2-pyridinylcarbonyl)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 6 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1999:253739 HCAPLUS


DOCUMENT NUMBER: 130:325088

TITLE: Preparation of acylhydrazone derivatives as Maillard

reaction inhibitors and active oxygen scavengers  
 INVENTOR(S): Inoue, Hitoshi; Horigome, Masato; Kinoshita, Nobuhiro;  
 Shibayama, Toshie  
 PATENT ASSIGNEE(S): Nisshin Flour Milling Co., Ltd., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 80 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
<u>JP 11106371</u>	A2	19990420	<u>JP 1998-177222</u>	19980624 <--
PRIORITY APPLN. INFO.:			<u>JP 1997-179754</u>	19970704
OTHER SOURCE(S):		MARPAT 130:325088		

GI




AB The title compds. XWY [X = benzene ring, chroman ring, etc.; Y = (un)substituted Ph, etc.; W = CONHN:CH, etc.] are prepd. The title compd. I in vitro showed IC<sub>50</sub> of 4.2 μM against the Maillard reaction.

IT 223722-10-9P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (prepn. of acylhydrazone derivs. as Maillard reaction inhibitors and active oxygen scavengers)

RN 223722-10-9 HCAPLUS

CN Benzoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 7 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text	Citing References
--------------	----------------------

ACCESSION NUMBER: 1998:719299 HCAPLUS

DOCUMENT NUMBER: 130:1842

TITLE: Method for the preparation of facial metal tricarbonyl compounds and their use in the labeling of biologically active substrates

INVENTOR(S): Alberto, Roger; Schibli, Roger; Egli, Andre

PATENT ASSIGNEE(S): Mallinckrodt Medical, Inc., USA

SOURCE: PCT Int. Appl., 26 pp.

CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9848848	A1	19981105	WO 1998-US7979	19980421 <--
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
EP 879606	A1	19981125	EP 1997-201232	19970425 <--
R: CH, LI, NL				
AU 9871413	A1	19981124	AU 1998-71413	19980421 <--
AU 748213	B2	20020530		
BR 9809409	A	20000613	BR 1998-9409	19980421
EP 1019095	A1	20000719	EP 1998-918501	19980421
EP 1019095	B1	20020116		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, FI				
NZ 337303	A	20001222	NZ 1998-337303	19980421
AT 211924	E	20020215	AT 1998-918501	19980421
ES 2168751	T3	20020616	ES 1998-918501	19980421
NO 9905160	A	19991213	NO 1999-5160	19991022
US 6344178	B1	20020205	US 1999-403704	19991022
<u>PRIORITY APPLN. INFO.:</u>			EP 1997-201232	A 19970425
			WO 1998-US7979	W 19980421


AB A method is disclosed for prepg. fac-[M(CO)<sub>3</sub>(OH<sub>2</sub>)<sub>3</sub>]<sup>+</sup> (M = Mn, <sup>99m</sup>Tc, <sup>186</sup>Re, <sup>188</sup>Re) (I) by reacting a metal in the permetallate form with carbon monoxide and a reducing agent, characterized in that a mixt. of a base, a reducing agent sol. in water but not substantially decompd. by water, and optionally a stabilizing agent, is solved in a water-contg. solvent system contg. a soln. of the metal in the permanganate, pertechnetate or perrhenate form in the presence of carbon monoxide and optionally in the presence of a halide. Also disclosed are to a method of prepg. a labeled compd. with the aid of the compd. I, a method of direct prepn. of labeled compds., a method of labeling of substrates (e.g. amino acids, peptides, proteins, sugars, small receptor binding mols. and body cells) with the aid of compd. I, a kit for the prepn. of a labeling compn., and a kit for the prepn. of a diagnostic of therapeutic pharmaceutical compn.

IT 1215-55-0

RL: RCT (Reactant); RACT (Reactant or reagent)  
 (reaction; facial metal tricarbonyl compd. prepn. and use in labeling of biol. active substrates for diagnosis and therapy)

RN 1215-55-0 HCAPLUS

CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 8 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1998:541058 HCAPLUS  
 DOCUMENT NUMBER: 129:285149  
 TITLE: Nitrogen, sulfur and oxygen donor adducts with copper(II) complexes of antitumor 2-formylpyridinethiosemicarbazone analogs: physicochemical and cytotoxic studies  
 AUTHOR(S): Ainscough, Eric W.; Brodie, Andrew M.; Denny, William A.; Finlay, Graeme J.; Ranford, John D.  
 CORPORATE SOURCE: Chemistry - Institute of Fundamental Sciences, Massey University, N. Z.  
 SOURCE: Journal of Inorganic Biochemistry (1998), 70(3,4), 175-185  
 CODEN: JIBIDJ; ISSN: 0162-0134  
 PUBLISHER: Elsevier Science Inc.  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English


AB The prepn. of N-, S- and O-donor ligand adducts with  $\text{CuX}^+(\text{HX} = 6\text{-methyl-2-formylpyridinethiosemicarbazone (6HL)}; 2\text{-formylpyridine-2'-methylthiosemicarbazone (2'L)}; 2\text{-formylpyridine-4'-methylthiosemicarbazone (4'HL)})$  is described. The N-donors, 2,2'-bipyridyl (bipy), 4-dimethylaminopyridine (dmap) give  $[\text{Cu(6L)(bipy)}]\text{PF}_6$ ,  $[\text{Cu(6L)(bipy)}]\text{Cl}\cdot 5\text{H}_2\text{O}$ ,  $[\text{Cu(4'L)(bipy)}]\text{PF}_6$ ,  $[\text{Cu(6L)(dmap)}_2]\text{PF}_6\cdot 2.5\text{H}_2\text{O}$  and  $[\text{Cu(4'L)(dmap)}_2]\text{PF}_6\cdot \text{H}_2\text{O}$  which were characterized by phys. and spectroscopic techniques. Pentafluorothiophenolate (pftp) gives S-donor complexes  $[\text{CuX(pftp)}]$  ( $\text{X} = 6\text{L}$  and  $4'\text{L}$ ) and thiolato coordination is proposed from spectroscopic evidence. Paratritylphenolate (ptp) and  $\text{HPO}_4^{2-}$  give O-donor complexes  $[\text{Cu(6L)(ptp)}]$ ,  $[\text{Cu(4'L)(ptp)}]$ ,  $[\{\text{Cu(6L)}\}_2\text{HPO}_4]\cdot 4\text{H}_2\text{O}$ , and  $[\{\text{Cu(4'L)}\}_2\text{HPO}_4]\cdot 5\text{H}_2\text{O}$  which were characterized by phys. and spectroscopic techniques, as have the precursor complexes  $[\text{Cu(6L)(CH}_3\text{COO)}]\cdot \text{H}_2\text{O}$ ,  $[\text{Cu(4'L)(CH}_3\text{COO)}]$ ,  $[\text{Cu(6HL)(CF}_3\text{COO)}](\text{CF}_3\text{COO})\cdot 0.5\text{H}_2\text{O}$ ,  $[\text{Cu(4'HL)(CF}_3\text{COO)}](\text{CF}_3\text{COO})$ ,  $[\text{Cu(2'L)Cl}_2]$  and  $[\text{Cu(2'L)(NO}_3)_2]$ . Protonation consts. for the ligands and some of their complexes were detd. 2-Formylpyridinethiosemicarbazone (HL) complexes of Ag, Au, Zn, Hg, Cd and Pb are discussed and cytotoxicity against the human tumor cell line HCT-8 and antiviral data for selected compds. are presented.

IT 1215-55-0, 2-Formylpyridine benzoylhydrazide

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)  
 (antitumor activity)

RN 1215-55-0 HCAPLUS

CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)




REFERENCE COUNT: 45 THERE ARE 45 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 9 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1998:451680 HCAPLUS

DOCUMENT NUMBER: 129:74267  
 TITLE: 4-(p-Bromophenyl)-3,5-bis(2-pyridyl)-4H-1,2,4-triazole  
 AUTHOR(S): Chen, Wei; Wang, Z. X.; Jian, F. F.; Bai, Z. P.; You, X. Z.  
 CORPORATE SOURCE: Dep. Chem., Univ. Malaya, Kuala Lumpur, 50603, Malay.  
 SOURCE: Acta Crystallographica, Section C: Crystal Structure Communications (1998), C54(6), 851-852  
 CODEN: ACSCEE; ISSN: 0108-2701  
 PUBLISHER: Munksgaard International Publishers Ltd.  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 AB The mol. of the title compd., C<sub>18</sub>H<sub>12</sub>BrN<sub>5</sub>, is basically planar except that the Ph and pyridyl rings are tilted in a propeller manner with respect to the central five-membered 1,2,4-triazole ring. Crystallog. data are given.  
 IT 840-79-9, N,N'-Dipyridoylhydrazine  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (reaction of dibromophenylphosphazooanilide in dichlorobenzene with)  
 RN 840-79-9 HCAPLUS  
 CN 2-Pyridinecarboxylic acid, 2-(2-pyridinylcarbonyl)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L8 ANSWER 10 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1998:400743 HCAPLUS  
 DOCUMENT NUMBER: 129:130483  
 TITLE: Synthetic and spectroscopic studies of cobalt(II), nickel(II), copper(II) and zinc(II) complexes of pyridine-2-carboxaldehyde thiobenzoylhydrazone  
 AUTHOR(S): Singh, N. K.; Agrawal, Namita Rani  
 CORPORATE SOURCE: Department of Chemistry, Banaras Hindu University, Varanasi, 221 005, India  
 SOURCE: Indian Journal of Chemistry, Section A: Inorganic, Bio-inorganic, Physical, Theoretical & Analytical Chemistry (1998), 37A(3), 276-279  
 CODEN: ICACEC; ISSN: 0376-4710  
 PUBLISHER: National Institute of Science Communication, CSIR  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 AB Pyridine-2-carboxaldehyde thiobenzoylhydrazone (2-PTBH) forms 1:1 adducts with Cu(II) chloride and bromide and 1:2 adducts as well as deprotonated complexes with Cu(II), Ni(II), Co(II) and Zn(II). Magnetic, electronic and ESR spectral studies suggest high-spin octahedral geometry for all the Ni(II) and Co(II) complexes and distorted octahedral geometry for Cu(II) complexes.  
 IT 26169-15-3  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (for prepn. of transition metal pyridinecarboxaldehyde thiobenzoylhydrazone complexes)  
 RN 26169-15-3 HCAPLUS



CN Benzenecarbothioic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT: 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 11 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1998:222310 HCAPLUS  
 DOCUMENT NUMBER: 128:237485  
 TITLE: 3,5-Bis(2-pyridyl)-4-p-chlorophenyl-4H-1,2,4-triazole  
 AUTHOR(S): Wang, Zuoxiang; Bai, Zhiping; Yang, Jiexiang; Okamoto, Ken-ichi; You, Xiaozeng  
 CORPORATE SOURCE: Coordination Chem. Inst. & State Key Lab. Coordination Chem., Nanjing Univ., Nanjing, 210093, Peop. Rep. China  
 SOURCE: Acta Crystallographica, Section C: Crystal Structure Communications (1998), C54(3), 438-439  
 CODEN: ACSCEE; ISSN: 0108-2701  
 PUBLISHER: Munksgaard International Publishers Ltd.  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English


AB The title compd., C<sub>18</sub>H<sub>12</sub>ClN<sub>5</sub>, was prepd. by the reaction of 4,4'-dichlorophenylphosphazone and N,N'-dipyridoylhydrazine. Crystallog. data are given. The x-ray anal. revealed that the pyridyl groups, the substituted benzene ring and the 1,2,4-triazole ring to not share a common plane.

IT 840-79-9

RL: PRP (Properties)  
 (reaction of dichlorophenylphosphazone and dipyridoylhydrazine in dichlorobenzene)

RN 840-79-9 HCAPLUS

CN 2-Pyridinecarboxylic acid, 2-(2-pyridinylcarbonyl)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 12 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1997:797361 HCAPLUS  
 DOCUMENT NUMBER: 128:61581  
 TITLE: Synthesis and spectroscopic investigations of organotin(IV) complexes of hydrazones derived from heterocyclic aldehydes  
 AUTHOR(S): Singh, Kiran; Dubey, S. N.; Singh, D. P.

CORPORATE SOURCE: Dep. Chem., Kurukshetra Univ., Kurukshetra, 136 119, India

SOURCE: Proceedings of the National Academy of Sciences, India, Section A: Physical Sciences (1997), 67(1), 35-38  
CODEN: PAIAA3; ISSN: 0369-8203

PUBLISHER: National Academy of Sciences, India

DOCUMENT TYPE: Journal


LANGUAGE: English

AB Some new organotin(IV) complexes were synthesized with biol.-active Schiff bases derived from the condensation of isonicotinic acid hydrazide and some heterocyclic aldehydes like furfural, 2-thiophenecarboxaldehyde, 2-pyridinecarboxaldehyde and 3-indolecarboxaldehyde. The Schiff bases function as monobasic bidentate ligands. The resulting Me<sub>2</sub>SnClL and Me<sub>2</sub>SnL<sub>2</sub> complexes probably have trigonal bipyramidal and octahedral geometries, resp.

IT 15017-32-0P, 2-Pyridinecarboxaldehyde isonicotinoyl hydrazone  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(prepn. of organotin(IV) complexes of hydrazones derived from heterocyclic aldehydes)

RN 15017-32-0 HCAPLUS

CN 4-Pyridinecarboxylic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 13 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1997:723381 HCAPLUS

DOCUMENT NUMBER: 128:13185

TITLE: Some oxidation reactions of isomeric pyridinecarboxylic acid hydrazides

AUTHOR(S): Iqbal, Rashid; Ebrahim, Samia; Ziaulhaq, Muhammad

CORPORATE SOURCE: Department of Chemistry, Quaid-i-Azam University, Islamabad, Pak.

SOURCE: Turkish Journal of Chemistry (1997), 21(3), 200-208  
CODEN: TJCHE3; ISSN: 1300-0527

PUBLISHER: Scientific and Technical Research Council of Turkey

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 128:13185


AB The oxidn. reactions of the three isomeric pyridinecarboxylic acid hydrazides, 2-, 3-, and 4-pyridinecarboxylic acid hydrazide, were studied using sodium metaperiodate, silver(I) oxide and potassium ferricyanide sep. Potassium ferricyanide emerged as an excellent reagent for prepn. of 2-pyridinecarboxaldehyde and 3-pyridinecarboxaldehyde from the resp. isomeric pyridinecarboxylic acid hydrazides. Oxidn. with silver(I) oxide in each case yielded the corresponding 1,2-dipyridoylhydrazine, while sodium metaperiodate furnished different products with each isomeric pyridinecarboxylic acid hydrazide.

IT 840-79-9P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(oxidn. of pyridinecarboxylic acid hydrazides)

RN 840-79-9 HCAPLUS

CN 2-Pyridinecarboxylic acid, 2-(2-pyridinylcarbonyl)hydrazide (9CI) (CA  
INDEX NAME)




REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 14 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1997:216188 HCAPLUS  
DOCUMENT NUMBER: 126:263678  
TITLE: Pentafluorophenyl ester activation for the preparation  
of N,N'-diarylhydrazines  
AUTHOR(S): Zhao, He; Burke, Terrence R., Jr.  
CORPORATE SOURCE: Lab. Medicinal Chem., National Inst. Health, Bethesda,  
MD, 20892, USA  
SOURCE: Tetrahedron (1997), 53(12), 4219-4230  
CODEN: TETRAB; ISSN: 0040-4020  
PUBLISHER: Elsevier  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
OTHER SOURCE(S): CASREACT 126:263678  
GI




AB Procedures are reported for the prepn. of N,N'-diarylhydrazines, e.g., I  
and II, using pentafluorophenyl (Pfp) ester activation of aryl carboxylic  
acids. Mild conditions which avoid intermediate protection of ring  
substituents, allows the synthesis of both sym. and unsym.  
diarylhydrazines in high yields. The recent discovery of potent HIV-1  
integrase inhibition by N,N'-bis-salicylhydrazine highlights the potential  
importance of this class of compds. The stability of pre-activated Pfp  
ester intermediates and the facility with which N,N'-diarylhydrazines can  
be synthesized using this procedure (stirring at room temp. in DMF) may  
make the method particularly attractive for synthesis of hydrazide  
libraries.

IT 840-79-9P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of diarylhydrazines via pentafluorophenyl esters)

RN 840-79-9 HCAPLUS

CN 2-Pyridinecarboxylic acid, 2-(2-pyridinylcarbonyl)hydrazide (9CI) (CA  
INDEX NAME)



L8 ANSWER 15 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1997:186969 HCAPLUS  
 DOCUMENT NUMBER: 126:194859  
 TITLE: Hydrazide-Containing Inhibitors of HIV-1 Integrase  
 AUTHOR(S): Zhao, He; Neamati, Nouri; Sunder, Sanjay; Hong, Huixiao; Wang, Shaomeng; Milne, George W. A.; Pommier, Yves; Burke, Terrence R. Jr.  
 CORPORATE SOURCE: Laboratories of Medicinal Chemistry and Molecular Pharmacology, National Cancer Institute, Bethesda, MD, 20892, USA  
 SOURCE: Journal of Medicinal Chemistry (1997), 40(6), 937-941  
 CODEN: JMCMAR; ISSN: 0022-2623  
 PUBLISHER: American Chemical Society  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English


AB Inhibitors of HIV integrase are currently being sought as potential new therapeutics for the treatment of AIDS. A large no. of inhibitors discovered to date contain the o-bishydroxy catechol structure. In an effort to discover structural leads for the development of new HIV integrase inhibitors which do not rely on this potentially cytotoxic catechol substructure, NSC 310217 was identified using a 3-point pharmacophore search based on its assigned structure N-(2-hydroxybenzoyl)-N-(2-hydroxy-3-phenoxypropyl)hydrazine (I). When a sample NSC 310217 was obtained from the NCI repository, it was shown to exhibit potent inhibition of HIV-1 integrase (3'-processing IC<sub>50</sub> = 0.6 µg/mL). In the study reported, the authors demonstrated that NSC 310217, rather than contg. I, which has no inhibitory potency against HIV-1 integrase, is comprised of roughly a 1:1 mixt. of N-(2-hydroxybenzoyl)-N'-(2-hydroxy-3-phenoxypropyl)hydrazine and N,N'-bis-salicylhydrazine (II), with all inhibitory potency residing with II (IC<sub>50</sub> = 0.7 µM for strand transfer). In subsequent structure-activity studies on II, it was shown that removing a single amide carbonyl which gave N-(2-hydroxybenzyl)-N'-salicylhydrazine (III) (IC<sub>50</sub> = 5.2 µM), or replacing 1 arom. ring system with a naphthyl ring (IC<sub>50</sub> = 1.1 µM) was accomplished with little loss of inhibitory potency. Addnl., replacing a single hydroxyl with a sulfhydryl (IC<sub>50</sub> = 5.8 µM) resulted in only moderate loss of potency. All other modifications examd., including the replacement of a single hydroxyl with an amino group, resulted in complete loss of potency. Being potent, structurally simple, and non-catechol-contg., II and III may provide useful leads for the development of a new class of HIV integrase inhibitor.

IT 840-79-9,

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)  
 (prepn. of hydrazide-contg. inhibitors of HIV-1 integrase)

RN 840-79-9 HCAPLUS

CN 2-Pyridinecarboxylic acid, 2-(2-pyridinylcarbonyl)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 16 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text	Citing References
--------------	----------------------

ACCESSION NUMBER: 1997:61310 HCAPLUS  
 DOCUMENT NUMBER: 126:168980  
 TITLE: Antitubercular activity of isonicotinoylhydrazone  $\alpha$ -pyridinaldehyde and coordination compounds of manganese(II), cobalt(II), nickel(II), copper(II), zinc, and cadmium based on it  
 AUTHOR(S): Tsintsadze, M. G.; Narimanidze, A. P.; Shilakadze, E. M.; Napetvaridze, L. D.; Tsintsadze, T. G.; Chanturiya, M. M.; Kipiani, T. I.  
 CORPORATE SOURCE: Gruz. Tekh. Univ., Georgia  
 SOURCE: Soobshcheniya Akademii Nauk Gruzii (1995), 151(2), 287-289  
 CODEN: SANGF  
 PUBLISHER: Nauka  
 DOCUMENT TYPE: Journal  
 LANGUAGE: Russian

AB Antitubercular activity of isonicotinoylhydrazone  $\alpha$ -pyridine aldehyde and coordination compds. of manganese (II), cobalt (II), nickel (II), copper (II), zinc, and cadmium prepd. on its base have been studied in vitro. It is shown that compared with the well-known antitubercular prepn. - isonicotine hydrazide (tubazide), the manganic (II) chloride and nickelous (II) sulfate complexed are the most active.


IT 15017-32-0

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

.(antitubercular activity of isonicotinoylhydrazone  $\alpha$ -pyridinaldehyde and coordination compds. of manganese(II), cobalt(II), nickel(II), copper(II), zinc, and cadmium based on it)

RN 15017-32-0 HCAPLUS

CN 4-Pyridinecarboxylic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)




L8 ANSWER 17 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text	Citing References
--------------	----------------------

ACCESSION NUMBER: 1996:597832 HCAPLUS  
 DOCUMENT NUMBER: 125:264314  
 TITLE: Methods of isonicotinic acid hydrazide hydrazones coordination with metals  
 AUTHOR(S): Tsintsadze, M.  
 CORPORATE SOURCE: Georgia  
 SOURCE: Soobshcheniya Akademii Nauk Gruzii (1994), 150(1), 76-79

CODEN: SANGEF  
 PUBLISHER: Metsniereba  
 DOCUMENT TYPE: Journal  
 LANGUAGE: Russian  
 AB Mn, Co, Ni, Cu, Zn and Cd halides, nitrates, sulfates and thiocyanates complexes with RCONHN:CHR1 (R = 4-pyridyl; R1 = Ph, 2-C6H4OH, 2-pyridyl, 4-pyridyl, 4-2NC6H4, 4-AcC6H4) were prepd.  
 IT 15017-32-0D, transition metal complexes  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (prepn. of)  
 RN 15017-32-0 HCAPLUS  
 CN 4-Pyridinecarboxylic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)




L8 ANSWER 18 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1996:407478 HCAPLUS  
 DOCUMENT NUMBER: 125:157099  
 TITLE: Pyridine-2-aldehyde-2-furoylhydrazone - a new visualization reagent for cation separation by TLC  
 AUTHOR(S): Marutoiu, Constantin; Coman, Virginia; Luta, Nicolae; Semeniuc, Radu  
 CORPORATE SOURCE: Inst. Chem. "Raluca Ripan", Cluj-Napoca, RO-3400, Rom.  
 SOURCE: Journal of Planar Chromatography--Modern TLC (1996), 9(3), 212-214  
 CODEN: JPCTE5; ISSN: 0933-4173  
 PUBLISHER: Research Institute for Medicinal Plants  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB This paper presents results obtained from the sepn. of a mixt. of twelve toxic cations on cellulose DEAE - silica gel R (1 + 1, wt./wt.) layers using iso-PROH - EtOH - 5 N HCl (5 + 5 + 1, vol./vol.) as mobile phase. Detection was performed with 0.1% alc. pyridine-2-aldehyde-2-furoylhydrazone soln. and 0.1% alc. rubeanic acid soln.

IT 88053-38-7  
 RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)  
 (a visualization reagent for cation sepn. by TLC)  
 RN 88053-38-7 HCAPLUS  
 CN 2-Furancarboxylic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 19 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1995:1001936 HCAPLUS  
 DOCUMENT NUMBER: 124:104669

TITLE: Structural studies of three isomeric forms of heterocyclic N(4)-substituted thiosemicarbazones and two nickel(II) complexes

AUTHOR(S): West, Douglas X.; Bain, Gordon A.; Butcher, Ray J.; Valdes-Martinex, Jesus; Toscano, Ruben A.; Hernandez-Ortega, Simon; Jasinsky, Jerry P.; Li, Yu; Pozdniakiv, Roman, Y.

CORPORATE SOURCE: Instituto de Quimica, Universidad Nacional Autonoma de Mexico, Coyoacan, 04510, Mex.

SOURCE: Polyhedron (1996), 15(4), 665-74  
CODEN: PLYHDE; ISSN: 0277-5387

PUBLISHER: Elsevier

DOCUMENT TYPE: Journal

LANGUAGE: English


AB Three structural forms were isolated among four 2-formyl- and 2-acetyl-pyridine N(4)-substituted thiosemicarbazones reported. 2-Formylpyridine N(4)-methylthiosemicarbazone and 2-acetylpyridine N(4)-ethylthiosemicarbazone both exist as nonhydrogen bonding E isomers. 2-Formylpyridine 3-azabicyclo[3.2.2]nonylthiosemicarbazone crystallizes as a H bonding Z isomer. The yellow 2-acetylpyridine 3-hexamethyleneiminethiosemicarbazone crystd. with a bifurcated H bonding arrangement in which the N(3) H is formally positioned at N(2), making it tautomeric to the other two forms. Structures of four-coordinate Ni(II) complexes contg. the monoanions of 2-formylpyridine 3-azabicyclo[3.2.2]nonylthiosemicarbazone and acetylpyrazine 3-hexamethyleneiminethiosemicarbazone are included.

IT 158201-95-7P  
RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(prepn. and crystal structure and complexation with Ni)

RN 158201-95-7 HCAPLUS

CN 3-Azabicyclo[3.2.2]nonane-3-carbothioic acid, (2-pyridinylmethylene)hydrazide, (Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L8 ANSWER 20 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing  
References

ACCESSION NUMBER: 1995:873157 HCAPLUS

DOCUMENT NUMBER: 123:334700

TITLE: Evaluation of some arylhydrazones of p-aminobenzoic acid hydrazide as antimicrobial agents and the in vitro hepatic microsomal metabolism

AUTHOR(S): Komurcu, S. G.; Rollas, S.; Ulgen, M.; Gorrod, J. W.; Cevikbas, A.

CORPORATE SOURCE: Faculty of Pharmacy, University of Marmara, Hydarpassa, 81919, Turk.

SOURCE: Bollettino Chimico Farmaceutico (1995), 134(7), 375-9  
CODEN: BCFAAI; ISSN: 0006-6648

PUBLISHER: Societa Editoriale Farmaceutica

DOCUMENT TYPE: Journal

LANGUAGE: English


AB Benzoic acid p-amino-[(substituted phenyl/pyridyl)methylene] hydrazide derivs. were synthesized by interaction of p-aminobenzoic acid hydrazide with various arom. aldehydes. The structures of the compds. were elucidated by use of their UV, IR, <sup>1</sup>H-NMR and mass spectral data. These compds. were also evaluated for antimicrobial activity. The in vitro hepatic microsomal metab. of benzoic acid p-amino-[(4-fluorophenyl)methylene]hydrazide, a selected prototype from these compds. was also carried out.

IT 158833-86-4P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(evaluation of arylhydrazones of p-aminobenzoic acid hydrazide as antimicrobial agents and in vitro hepatic microsomal metab.)

RN 158833-86-4 HCAPLUS

CN Benzoic acid, 4-amino-, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER '21 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1995:688196 HCAPLUS

DOCUMENT NUMBER: 123:357478

TITLE: Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-

azabicyclo[3.2.2]nonylthiosemicarbazone complex  
AUTHOR(S): Maichle, Cecilia; Castineiras, Alfonso; Carballo, Rosa; Gebremedhin, Haileselassie; Lockwood, Mark A.; Ooms, Christopher E.; Romack, Timothy J.; West, Douglas X.

CORPORATE SOURCE: Inst. Inorg. Chem., Univ. Tuebingen, Germany

SOURCE: Transition Metal Chemistry (London) (1995), 20(3), 228-33

CODEN: TMCHDN; ISSN: 0340-4285

PUBLISHER: Chapman & Hall

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Cobalt(III) complexes of 2-acetylpyridine 3-pyrrolidinyl-, 3-piperidinyl-, 3-hexamethyleneiminyl-, and 3-azabicyclo[3.2.2]nonylthiosemicarbazone, [Co(Lpo)<sub>2</sub>]BF<sub>4</sub>, [Co(Lpip)<sub>2</sub>]BF<sub>4</sub>, [Co(Lhexim)<sub>2</sub>]BF<sub>4</sub>, and [Co(Lbcn)<sub>2</sub>]BF<sub>4</sub>, resp.; 2-formylpyridine 3-piperidinyl-, 3-hexamethyleneiminyl-, and 3-azabicyclo[3.2.2]nonylthiosemicarbazone, [Co(pip)<sub>2</sub>]BF<sub>4</sub>, [Co(hexim)<sub>2</sub>]BF<sub>4</sub>, and [Co(bcn)<sub>2</sub>]BF<sub>4</sub>, resp.; and acetylpyrazine 3-azabicyclo[3.2.2]nonylthiosemicarbazone, [Co(Pzbcn)<sub>2</sub>]BF<sub>4</sub>, have been synthesized and their spectral properties measured. The <sup>1</sup>H- and <sup>13</sup>C-NMR spectra show the uncomplexed thiosemicarbazones to be mixts. of as many as three isomers, but that the two ligands in the cobalt(III) complexes are nearly identical. The crystal structure of [Co(Pzbcn)<sub>2</sub>]BF<sub>4</sub> shows the two ligands coordinated in a mer-configuration. Bond lengths and angles in this complex are compared with data previously reported for thiosemicarbazone complexes.




IT 16552-95-7

RL: PRP (Properties); RCT (Reactant); RACT (Reactant or reagent)  
(NMR and reaction with cobalt tetrafluoroborate)

RN 16552-95-7 HCAPLUS

CN 1-Piperidinecarbothioic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 22 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1995:583241 HCAPLUS  
DOCUMENT NUMBER: 123:245469  
TITLE: Kinetic differentiation mode high-performance liquid chromatography as a powerful tool in environmental trace metal chemistry  
AUTHOR(S): Hoshino, Hitoshi; Yotsuyanagi, Takao  
CORPORATE SOURCE: Department Molecular Chemistry and Engineering, Tohoku University, Sendai, 980, Japan  
SOURCE: Adv. Technol. I M, Conf. Proc., 10th (1994), Volume 1, 8-11. IEEE: New York, N. Y.  
CODEN: 61IYAP  
DOCUMENT TYPE: Conference  
LANGUAGE: English


AB A new concept, "Kinetic Differentiation" Mode in a High-performance Liq. Chromatog. system for trace metal detn. are described. The HPLC sepn. processes give rise to the unique selectivity base on a difference in the reaction kinetics of the metal-chelate compds. The capability of this HPLC methods for environmental studies are demonstrated in terms of the high sensitivity (down to pg/mL) and the specificity for the cases of Al, Be, Ni, and V ions.

IT 1215-55-0

RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses)  
(kinetic differentiation mode high-performance liq. chromatog. as a powerful tool in environmental trace metal chem.)

RN 1215-55-0 HCAPLUS

CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)




L8 ANSWER 23 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1994:700990 HCAPLUS  
DOCUMENT NUMBER: 121:300990  
TITLE: Organotin(IV) complex with tridentate ligands-II. Synthesis and characterization of mono- and dimethyltin(IV) complexes with N-(2-pyridinylmethylene)benzoylhydrazine. The crystal and

molecular structure of monomethyldichloro[N-(2-pyridinylmethylene)benzoylhydrazinate NNO(-1)]tin(IV)  
 AUTHOR(S): Khalil, T. E.; Labib, L.; Iskander, M. F.; Refaat, L. S.  
 CORPORATE SOURCE: Chemistry Dep., Alexandria Univ., Alexandria, Egypt  
 SOURCE: Polyhedron (1994), 13(17), 2569-78  
 CODEN: PLYHDE; ISSN: 0277-5387  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 AB Two organotin(IV) complexes with N-(2-pyridinylmethylene)benzoylhydrazine (HPyBzh), SnMeCl<sub>2</sub>(PyBzh) and SnMe<sub>2</sub>Cl(PyBzh), were prepd. and characterized by mass, IR, UV-visible and NMR spectral techniques. The x-ray crystal and mol. structure of SnMeCl<sub>2</sub>(PyBzh) was detd. The PyBzh- anion in this complex acts as a monobasic NNO-tridentate ligand, the Sn(IV) lying in an elongated distorted octahedral environment where the pyridyl N, azomethine N and hydrazide O, together with the Me C, are in the equatorial plane, whereas the two chlorides are the apical ligands. The structures of these complexes in different solvents also were discussed.  
 IT 1215-55-0  
 RL: RCT (Reactant); RACT (Reactant or reagent)  
 (prepn. and structure of pyridinylmethylenbenzoylhydrazinate tin complexes)  
 RN 1215-55-0 HCAPLUS  
 CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 24 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1994:670602 HCAPLUS  
 DOCUMENT NUMBER: 121:270602  
 TITLE: 2-Pyridylaldehyde benzoylhydrazone derivatives as highly selective precolumn chelating reagents for nickel(II) ion in kinetic differentiation mode high-performance liquid chromatography  
 AUTHOR(S): Iki, Nobuhiko; Hoshino, Hitoshi; Yotsuyanagi, Takao  
 CORPORATE SOURCE: Dep. Mol. Chem. Eng., Tohoku Univ., Sendai, 980, Japan  
 SOURCE: Mikrochimica Acta (1994), 113(3-6), 137-52  
 CODEN: MIACAQ; ISSN: 0026-3672  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 AB 2-Pyridylaldehyde aroylhydrazones were examd. as reagents for precolumn derivatization of metal ions in the HPLC-spectrophotometry system. With the simplest analog, 2-pyridylaldehyde benzoylhydrazone (PAB), among 11 metal ions only Ni(II) ion gives the peak while the other metal chelates seem to be dissocd. on an HPLC column where no added PAB is present in the eluent solns. All other PAB analogs exhibit the peak for Ni(II) ion as well as Co(III) ion. In 1 reagent system, V(V) and Fe(II) chelates also appear in the chromatograms. It was stressed that the selectivity principle is the kinetic differentiation (KD) towards metal chelates assocd. with the HPLC processes. The specificity for Ni(II) ion is in close relation to a key structure of the ligand mols. which provides an N,N,O coplanar coordination environment to form 2 5-membered chelate rings. An extremely selective and sensitive KD-HPLC method for the

quantitation of Ni(II) ion at the ultra-trace levels was assessed; the detection limit (3  $\sigma$ Blank) for Ni(II) ion was down to  $5.34 \times 10^{-9}$  mol L<sup>-1</sup> (31.5 pg in a 100  $\mu$ L injection) and the excellent applicability was checked using coal fly ash samples.


IT 1215-55-0

RL: ANST (Analytical study)

(as precolumn derivatization reagent for nickel detn. by kinetic differentiation mode HPLC)

RN 1215-55-0 HCAPLUS

CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 25 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1994:644244 HCAPLUS

DOCUMENT NUMBER: 121:244244

TITLE: Copper(II) and nickel(II) complexes of 2-formylpyridine 3-piperidinyl-, 3-hexamethyleneiminyl- and 3-azabicyclo[3.2.2]nonylthiosemicarbazones

AUTHOR(S): West, Douglas X.; Ooms, Christopher E.; Saleda, Jill S.; Gebremedhin, H.; Liberta, Anthony E.

CORPORATE SOURCE: Department Chemistry, Illinois State University, Normal, IL, 61761, USA

SOURCE: Transition Metal Chemistry (Dordrecht, Netherlands) (1994), 19(5), 553-8

CODEN: TMCHDN; ISSN: 0340-4285

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Copper(II) and nickel(II) complexes of 2-formylpyridine 3-piperidinyl-, 3-hexamethyleneiminyl- and 3-azabicyclo[3.2.2]nonylthiosemicarbazones were prepd. and characterized spectroscopically. <sup>1</sup>H and <sup>13</sup>C NMR spectra of the thiosemicarbazones and a diamagnetic nickel(II) complex are reported, together with IR, electronic and ESR spectra of the metal complexes. The thiosemicarbazones and their copper(II) and nickel(II) complexes exhibit considerable growth inhibitory activity against *Paecilomyces variotii*, but show minimal activity against *Aspergillus niger*.

IT 125656-59-9P


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent)

(prepn. and spectra and antifungal activity of copper and nickel formylpyridine thiosemicarbazone chloro and halo complexes)

RN 125656-59-9 HCAPLUS

CN 1-Piperidinecarbothioic acid, (2-pyridinylmethylene)hydrazide, (Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L8 ANSWER 26 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1994:508637 HCAPLUS  
 DOCUMENT NUMBER: 121:108637  
 TITLE: Synthesis and tuberculostatic activity of the products of reaction of 5-(2-, 3- and 4-pyridyl)-1,3,4-oxadiazole-2-thiones with amines  
 AUTHOR(S): Pancechowska-Ksepko, Danuta; Foks, Henryk; Janowiec, Mieczyslaw; Zwolska-Kwiek, Zofia  
 CORPORATE SOURCE: Dep. Org. Chem., Sch. Med., Gdansk, 80416, Pol.  
 SOURCE: Acta Poloniae Pharmaceutica (1993), 50(2-3), 259-67  
 CODEN: APPHAX; ISSN: 0001-6837  
 DOCUMENT TYPE: Journal  
 LANGUAGE: Polish  
 OTHER SOURCE(S): CASREACT 121:108637  
 GI




AB 5-Pyridyl-1,3,4-oxadiazole-2-thione heated several h in PhCl with secondary amines yielded I (R and pyridine substitution position given): 4-methylpiperazino, 2 and 4; morpholino, 3 and 4; piperidino, 2, 3 and 4; homopiperidino, 4; 4-phenylpiperazino, 4; N(CH<sub>2</sub>CH:CH<sub>2</sub>)<sub>2</sub>, 4. When heating time was reduced to 0.5-4 h, II were obtained (data as above): morpholino, 2, 3 and 4; piperidino, 2 and 3; homopiperidino, 2, 3 and 4; 4-phenylpiperazino, 2; N(CH<sub>2</sub>CH:CH<sub>2</sub>)<sub>2</sub>, 2 and 4. Similar reactions with primary amines, in the case of amino alcs. preferably in their excess, gave III (data as above): Pr, Bu, HO(CH<sub>2</sub>)<sub>2</sub>, HO(CH<sub>2</sub>)<sub>3</sub>, and PhCH<sub>2</sub>, all 2, 3 and 4. In the reaction with PhCH<sub>2</sub>NH<sub>2</sub>, 20% of II (PhCH<sub>2</sub>NH, 4) was isolated as a byproduct. In in vitro microbiol. tests, 2-pyridyl-substituted II (R = morpholino, homopiperidino, and 4-phenylpiperazino) revealed an interesting tuberculostatic activity against several resistant strains.

IT 156539-57-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (prepn., cyclization, and tuberculostatic activity of)

RN 156539-57-0 HCAPLUS

CN 2-Pyridinecarboxylic acid, 2-(4-morpholinylthioxomethyl)hydrazide (9CI)  
 (CA INDEX NAME)



L8 ANSWER 27 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1994:314578 HCAPLUS  
 DOCUMENT NUMBER: 120:314578  
 TITLE: Comparison of hydrazone derivatives for reversed phase high performance liquid chromatography  
 AUTHOR(S): Uehra, Nobuo; Hirota, Masayo; Shijo, Yoshio  
 CORPORATE SOURCE: Fac. Eng., Utsunomiya Univ., Utsunomiya, 321, Japan  
 SOURCE: Bunseki Kagaku (1994), 43(3), 195-201  
 CODEN: BNSKAK; ISSN: 0525-1931  
 DOCUMENT TYPE: Journal  
 LANGUAGE: Japanese


AB Several hydrazones having similar structures and different donating atoms were synthesized and used as precolumn chelating agents of metal chelates for HPLC. The relationship between the HPLC selectivities for metal chelates and the donating atoms of hydrazones was also evaluated. The hydrazones were synthesized from corresponding hydrazones and aldehydes by refluxing in ethanol. Hydrazone chelates was insol. in water. The chelates were prepd. with methanol-water mixt. or dimethylformamide-water mixt. Most of the hydrazone chelates had absorption maxima near 400 nm. The eluents were methanol-water mixts., which contained tetrabutylammonium bromide as necessary. The HPLC selectivities of hydrazones for metal ions were higher than the selectivities of complexation. The tridentate hydrazones gave more chelate peaks than the bidentate hydrazones did. The hydrazones made from 4-phenyl-3-thiosemicarbazide gave more peaks than the hydrazone made from benzoylhydrazine.

IT 1215-55-0P

RL: SPN (Synthetic preparation); PREP (Preparation)  
 (prepn. and use of, as precolumn deriv. reagent for metal sepn. by HPLC)

RN 1215-55-0 HCAPLUS

CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 28 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1994:129361 HCAPLUS  
 DOCUMENT NUMBER: 120:129361  
 TITLE: Antifungal and antitumor activity of heterocyclic thiosemicarbazones and their metal complexes: Current status  
 AUTHOR(S): Liberta, Anthony E.; West, Douglas X.  
 CORPORATE SOURCE: Dep. Biol. Sci. Chem., Illinois State Univ., Normal, IL, USA  
 SOURCE: BioMetals (1992), 5(2), 121-6  
 CODEN: BOMEHH; ISSN: 0966-0844  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB More than 75 substituted thiosemicarbazones and a no. of metal complexes of each were assayed for their antifungal activity. Their activity is affected by the substituted groups attached at both 1N and 4N of the thiosemicarbazone moiety. The greatest activity occurs for 2-substituted pyridine thiosemicarbazones with differences obsd. for 2-formylpyridine,

2-acetylpyridine and 2-benzoylpyridine derivs. and their metal complexes. Further, there are activity differences for 4N-alkyl-, 4N-aryl-, 4N-dialkyl- and 3-azacyclothiosemicarbazones and their metal complexes as well as changes in the substituent size among each of these subgroups. Cu(II) complexes are often more active than the uncomplexed thiosemicarbazones, with the latter showing similar activity to Ni(II) complexes in many instances. The redn. potential of the thiosemicarbazone ligand in a Cu(II) complex, the strength of the ligand field and various spectral properties can be correlated to the inhibitory activity. Various metal complexes that had antifungal activity were screened for in vitro antitumor activity and were active.


IT 152944-77-9

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)  
(antifungal activity of, structure in relation to)

RN 152944-77-9 HCAPLUS

CN 1H-Azepine-1-carbothioic acid, hexahydro-, (2-pyridinylmethylene)hydrazide, (Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L8 ANSWER 29 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1994:106782 HCAPLUS

DOCUMENT NUMBER: 120:106782

TITLE: Preparation of pyridyl acylhydrazones as microbicides

INVENTOR(S): Heuer, Lutz; Schwamborn, Michael; Erdelen, Christoph; Dehne, Heinz Wilhelm; Berg, Dieter; Endermann, Rainer; Metzger, Karl Georg; Bremm, Klaus Dieter; Ludwig, Georg Wilhelm

PATENT ASSIGNEE(S): Bayer A.-G., Germany

SOURCE: Ger. Offen., 27 pp.

CODEN: GWXXBX


DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4207400	A1	19930916	DE 1992-4207400	19920309 <--
PRIORITY APPLN. INFO.:			DE 1992-4207400	19920309
OTHER SOURCE(S):		MARPAT 120:106782		
GI				




AB Title compds. [I; R1-R3 = H, halo, alkyl, haloalkyl, alkoxy, alkoxyalkyl, alkylthio, cycloalkyl, (substituted) Ph; R1R2 = atoms to complete an unsatd. 6-membered ring; R4 = N[(CH2)nR5][(CH2)nR6], S(CH2)nR5, O(CH2)nR5; R5, R6 = H, (substituted) (O, S-, CO-, SO-, SO2-, or imino-interrupted) alkyl, alkenyl, haloalkyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, etc.; R5R6 = atoms to form a (substituted) (O-, S-, CO-, SO-, SO2-, or imino-substituted) 3-18 membered ring; X = C, N; Y = S, NH; n = 0-10], and salts and complexes thereof, were prepd. Thus, 2-benzoylpyridine and 4-phenyl-3-thiosemicarbazide were heated in EtOH to give I (R1-R3 = H, R4 = NPh, X = C, Y = S). Numerous I were active against *Alternaria tenuis*, *Aspergillus niger*, *Aureobasidium pullulans*, etc., at <200 mg/L. Several I were said to show superior activity against *Phaedon cochleariae*, *Plutella maculipennis*, and *Heliothis virescens* on crop plants.

IT 1215-55-0P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of, as intermediate for microbicide)

RN 1215-55-0 HCAPLUS

CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 30 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN


Full  
Text

Citing  
References

ACCESSION NUMBER: 1994:54454 HCAPLUS  
DOCUMENT NUMBER: 120:54454  
TITLE: Microbicidal hydrazones for technical material  
INVENTOR(S): Schwamborn, Michael; Heuer, Lutz; Mueller, Nikolas;  
Heywang, Gerhard; Ludwig, Georg Wilhelm  
PATENT ASSIGNEE(S): Bayer A.-G., Germany  
SOURCE: Ger. Offen., 17 pp.  
CODEN: GWXXBX  
DOCUMENT TYPE: Patent  
LANGUAGE: German  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4207401	A1	19930916	DE 1992-4207401	19920309 <--
PRIORITY APPLN. INFO.: MARPAT 120:54454			DE 1992-4207401	19920309
OTHER SOURCE(S):				

GI




AB Hydrazones R<sub>1</sub>R<sub>2</sub>C:NNHR<sub>3</sub> [I; R<sub>1</sub> = aryl, pyridyl, furyl, pyrrolyl, thienyl, ferrocenyl, cycloalkyl, alkyl; R<sub>2</sub> = H, alkyl; R<sub>3</sub> = C(X)R<sub>4</sub>; X = O, NH, S; R<sub>4</sub> = SR<sub>5</sub>, NHR<sub>5</sub>, NR<sub>5</sub>R<sub>6</sub>, OR<sub>5</sub>, NHNHR<sub>5</sub>; R<sub>5</sub>, R<sub>6</sub> = H, alkyl, cycloalkyl, aryl, pyridyl, pyrimidinyl, furyl, allyl; or NR<sub>5</sub>R<sub>6</sub> = 5- or 6-membered heterocyclyl with optional addnl. N or O atom(s)], some of which are new, are useful as microbicides for tech. materials. I (over 135 listed, with m.p. data) may be prepd. by known methods, e.g., those described in WO 85 00 955. Claims cover microbicidal agents contg. ≥1 compd. I, protection of tech. materials with I, and use of I against molds, wood-destroying organisms, bacteria, yeast, algae, and slimes. For example, title compd. II had MIC of <200 mg/L against 9 organisms, e.g. *Aspergillus niger*, *Lentinus tigrinus*, and *Staphylococcus aureus*, and MIC of 250 mg/L against *Pseudomonas aeruginosa*.

IT 16552-99-1

RL: RCT (Reactant); RACT (Reactant or reagent)  
(prep. as industrial microbicide)

RN 16552-99-1 HCAPLUS

CN 1-Pyrrolidinecarbothioic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)




L8 ANSWER 31 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1993:671122 HCAPLUS  
DOCUMENT NUMBER: 119:271122  
TITLE: N-Substituted dibenzoxazepines as analgesic PGE2 antagonists  
AUTHOR(S): Hallinan, E. Ann.; Hagen, Timothy J.; Husa, Robert K.; Tsymbalov, Sofya; Rao, Shashidhar N.; vanHoeck, Jean Pierre; Rafferty, Michael F.; Stapelfeld, Awilda; Savage, Michael A.; Reichman, Melvin  
CORPORATE SOURCE: Dep. Chem. Res., Searle, Skokie, IL, 60077, USA  
SOURCE: Journal of Medicinal Chemistry (1993), 36(22), 3293-9  
CODEN: JMCMAR; ISSN: 0022-2623  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
GI






AB Analogs of 8-chlorodibenz[b,f][1,4]oxazepine-10(11H)-carboxylic acid, 2-acetylhydrazide (I, R = Me) (SC-19220) in which the acetyl moiety has been replaced with pyridylpropionyl groups and their homologs, were prepd., as illustrated by I [R = 2-(4-pyridyl)ethyl (SC-51089), 1,1-difluoro-2-hydroxy-2-(2-pyridyl)ethyl (SC-51234A)]. These and other members of this series were effective analgesics and prostaglandin E2 (PGE2) antagonists of the EP1 receptor subtype. Structure activity relationships within this series are discussed.

IT **146032-92-0P**

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn., analgesic activity, and prostaglandin E2 antagonistic activity of)

RN 146032-92-0 HCAPLUS

CN Dibenz[b,f][1,4]oxazepine-10(11H)-carboxylic acid, 8-chloro-, 2-(2-pyridinylcarbonyl)hydrazide, monohydrochloride (9CI) (CA INDEX NAME)



# HCl

L8 ANSWER 32 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text	Citing References
--------------	----------------------

ACCESSION NUMBER:	1993:102002 HCAPLUS
DOCUMENT NUMBER:	118:102002
TITLE:	Preparation of dibenz[b,f][1,4]oxazepines and related compounds as analgesics and prostaglandin antagonists
INVENTOR(S) :	Hallinan, E. Ann; Hagen, Timothy Joseph; Husa, Robert Knol; Tsymbalov, Sofya; Lee, Albert C.; Van Hoeck, Jean Pierre
PATENT ASSIGNEE(S) :	Searle, G. D., and Co., USA
SOURCE:	Eur. Pat. Appl., 61 pp. CODEN: EPXXDW
DOCUMENT TYPE:	Patent
LANGUAGE:	English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:



PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 512400	A1	19921111	EP 1992-107328	19920429 <--
EP 512400	B1	19981202		
R: PT				
CA 2108903	AA	19921104	CA 1992-2108903	19920416 <--
WO 9219617	A2	19921112	WO 1992-US3028	19920416 <--
W: AT, AU, BB, BG, BR, CA, CH, CS, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, PL, RO, RU, SD, SE, US				
RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, DE, DK, ES, FR, GA, GB, GN, GR, IT, LU, MC, ML, MR, NL, SE, SN, TD, TG				
AU 9222462	A1	19921221	AU 1992-22462	19920416 <--
EP 583421	A1	19940223	EP 1992-914560	19920416 <--
EP 583421	B1	19990616		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
JP 06507408	T2	19940825	JP 1992-511838	19920416 <--
JP 3222891	B2	20011029		
EP 694545	A2	19960131	EP 1995-116871	19920416 <--
EP 694545	A3	19960327		
EP 694545	B1	20000726		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
AT 181329	E	19990715	AT 1992-914560	19920416 <--
ES 2133324	T3	19990916	ES 1992-914560	19920416 <--
AT 194987	E	20000815	AT 1995-116871	19920416
ES 2149305	T3	20001101	ES 1995-116871	19920416
EP 694546	A2	19960131	EP 1995-116872	19920429 <--
EP 694546	A3	19960327		
EP 694546	B1	20010606		
R: PT				
EP 911331	A2	19990428	EP 1999-101029	19920429 <--
EP 911331	A3	20000119		
R: PT				
US 5378840	A	19950103	US 1993-108551	19930824 <--
US 5464830	A	19951107	US 1994-295302	19940824 <--
US 5576315	A	19961119	US 1995-509846	19950801 <--

PRIORITY APPLN. INFO.:

US 1991-695654	A	19910503
WO 1992-US3028	A	19920416
EP 1992-914560	A3	19920416
EP 1992-107328	A3	19920429
EP 1995-116872	A3	19920429
US 1993-108551	A1	19930824
US 1994-295302	A3	19940824

OTHER SOURCE(S):  
GI

MARPAT 118:102002




AB Title compds. [I; R1 = H, halo, CF<sub>3</sub>; R2 = H, halo, OH, OMe; Z = O, S, SO, SO<sub>2</sub>; X = CH:CH, CF<sub>2</sub>, CHF, (CH<sub>2</sub>)<sub>n</sub>, (CH<sub>2</sub>)<sub>p</sub>CH:CH; Y = CH(OH), NR<sub>3</sub>, S, SO, SO<sub>2</sub>, O; q, r = 0, 1; m = 0-6; n, p = 1-6; R3 = H, Me<sub>3</sub>CO<sub>2</sub>C; Ar = (substituted) aryl] were prepd. Thus, 3-[(2-furylmethyl)thio]propanoic acid hydrazide (prepn given) and 8-chlorodibenz[b,f][1,4]oxazepine-10(11H)-carbonyl chloride (prepn. given) were condensed in PhMe contg. Et<sub>3</sub>N at reflux to give 100% title compd. II. II showed ED<sub>50</sub> = 0.9 mg/kg in the phenylbenzoquinone-induced writhing test in mice, and antagonized prostaglandin E<sub>2</sub> in guinea pig ileum with pA<sub>2</sub> = 8.5.

IT **146032-92-0P**

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of, as analgesic and prostaglandin antagonist)

RN **146032-92-0** HCAPLUS

CN Dibenz[b,f][1,4]oxazepine-10(11H)-carboxylic acid, 8-chloro-,  
2-(2-pyridinylcarbonyl)hydrazide, monohydrochloride (9CI) (CA INDEX NAME)



# HCl


L8 ANSWER 33 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing  
References

ACCESSION NUMBER: 1993:6926 HCAPLUS




AUTHOR(S): Abdel-Rahman, R. M.; El-Gendy, Z.; Fawzy, M. M.;  
 Mahmoud, M. B.  
 CORPORATE SOURCE: Fac. Educ., Ain Shams Univ., Cairo, Egypt  
 SOURCE: Journal of the Indian Chemical Society (1991),  
 68(11), 628-31  
 CODEN: JICSAH; ISSN: 0019-4522  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 AB The title compds were prepd. by reactions of benzoylhydrazones with  
 HSCH<sub>2</sub>CO<sub>2</sub>H, 4-ClC<sub>6</sub>H<sub>4</sub>SH, PhCOCH<sub>2</sub>COMe, and 2-PhCOC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>H. Reactions of  
 dibenzoylhydrazones with N<sub>2</sub>H<sub>4</sub>·H<sub>2</sub>O and guanidine hydrochloride were  
 also described. Products such as I and II showed antifungal activity.  
 IT 1215-55-0P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT  
 (Reactant or reagent)  
 (prepn. and reaction with thiols)  
 RN 1215-55-0 HCAPLUS  
 CN Benzoic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 35 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1991:96699 HCAPLUS  
 DOCUMENT NUMBER: 114:96699  
 TITLE: Chitin biosynthesis inhibition and fungicidal effect  
 of thiosemicarbazones of 2-formyl- and  
 2-acetylpyridine, their hydrogenated derivatives and  
 copper complexes thereof  
 AUTHOR(S): Wengel, Anita; Jacobsen, Niels; Kolind-Andersen, Hans;  
 Bjerregaard, Poul  
 CORPORATE SOURCE: Res. Dep., A/S Cheminova, Lemvig, DK-7620, Den.  
 SOURCE: Pesticide Science (1990), 30(2), 223-33  
 CODEN: PSSCBG; ISSN: 0031-613X  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 OTHER SOURCE(S): CASREACT 114:96699  
 GI



AB Several thiosemicarbazones 2-formyl- and 2-acetylpyridine (I, R and R<sub>1</sub> =  
 alkyl or NRR<sub>1</sub> = heterocyclic, R<sub>2</sub> = H, 5-Bu, or 4-Cl, R<sub>3</sub> = H or Me) were  
 found to be broad-spectrum protectant fungicides with activity  
 particularly against oomycetes. The effect of some of the compds. on  
 chitin biosynthesis was studied, but the low inhibitory activity obsd.  
 combined with the fungicidal activity spectrum, particularly the high


activity against oomycetes, excludes this as their main mode of action. Attempts of enhancing the systemic properties of the compds. by chem. modifications failed.

IT 16552-99-1P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. and agrochem. fungicidal activity of)

RN 16552-99-1 HCAPLUS

CN 1-Pyrrolidinecarbothioic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 36 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1990:178771 HCAPLUS

DOCUMENT NUMBER: 112:178771

TITLE: Studies on azopyrazole derivatives. Part 8: synthesis and characterization of new 1-(1-substituted-3,4-dimethylpyrazolylazo)-N2-(substituted benzylidene)benzohydrazides

AUTHOR(S): Ergenc, N.; Rollas, S.; Capan, G.; Dogan, N.; Ozger, Y.

CORPORATE SOURCE: Fac. Pharm., Istanbul Univ., Istanbul, Turk.

SOURCE: Pharmazie (1989), 44(8), 573-4



CODEN: PHARAT; ISSN: 0031-7144

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 112:178771

GI



AB Fifteen title compds. I (R = substituted Ph, p-Me2NC6H4CH:CH, 2-pyridyl; R1 = CH2CH2OH, Ph, p-C6H4SO3Na) were prepd. by condensation of RCHO with (hydrazinocarbonylphenylazo)pyrazoles II. I are potential herbicides, fungicides and insecticides (no data).


IT 126308-05-2P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of)


RN 126308-05-2 HCAPLUS

CN Benzoic acid, 4-[(3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)azo]-,  
(2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A




L8 ANSWER 37 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER: 1990:117985 HCAPLUS  
DOCUMENT NUMBER: 112:117985  
TITLE: Pyridazines. 47. The configuration of novel thiosemicarbazone derivatives of pyridazinecarboxaldehydes and alkyl pyridazinyl ketones  
AUTHOR(S): Easmon, Johnny; Heinisch, Gottfried; Holzer, Wolfgang  
CORPORATE SOURCE: Inst. Pharm. Chem., Univ. Vienna, Vienna, A-1090, Austria  
SOURCE: Heterocycles (1989), 29(7), 1399-408  
CODEN: HTCYAM; ISSN: 0385-5414  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
AB Structure and configuration of thiosemicarbazone derivs., contg. a 3-pyridazinyl, 4-pyridazinyl, or 2-pyridyl moiety were detd. by means of <sup>1</sup>H and <sup>13</sup>C NMR.  
IT 125656-56-6  
RL: PRP (Properties)  
(configuration and carbon-13 and proton NMR of)  
RN 125656-56-6 HCAPLUS  
CN 1-Pyrrolidinecarbothioic acid, (2-pyridinylmethylene)hydrazide, (E)- (9CI)  
(CA INDEX NAME)

Double bond geometry as shown.



L8 ANSWER 38 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1990:30243 HCAPLUS  
 DOCUMENT NUMBER: 112:30243  
 TITLE: Synthesis and antiviral activity of thiosemicarbazone derivatives of pyridazinecarbaldehydes and alkyl pyridazinyl ketones  
 AUTHOR(S): Easmon, J.; Heinisch, G.; Holzer, W.; Rosenwirth, B.  
 CORPORATE SOURCE: Inst. Pharm. Chem., Univ. Vienna, Vienna, A-1090, Austria  
 SOURCE: Arzneimittel-Forschung (1989), 39(10), 1196-201  
 CODEN: ARZNAD; ISSN: 0004-4172  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 OTHER SOURCE(S): CASREACT 112:30243


AB A series of thiosemicarbazones were prepd. and their cytotoxicity to Vero cells and inhibition of herpes simplex 1 virus infection were examd. Structure-activity relationships are discussed.

IT 16552-95-7P

RL: SPN (Synthetic preparation); PREP (Preparation)  
 (prepn. and cytotoxicity and virucidal activity of, structure in relation to)

RN 16552-95-7 HCAPLUS

CN 1-Piperidinecarbothioic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 39 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1990:17750 HCAPLUS  
 DOCUMENT NUMBER: 112:17750  
 TITLE: Preparation of benzothiadiazole derivatives as agrochemical microbicides  
 INVENTOR(S): Schurter, Rolf; Kunz, Walter; Nyfeler, Robert  
 PATENT ASSIGNEE(S): Ciba-Geigy A.-G., Switz.  
 SOURCE: Braz. Pedido PI, 182 pp.  
 CODEN: BPXXDX  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Portuguese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:



PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
BR 8804264	A	19890321	BR 1988-4264	19880822 <--
EP 313512	A2	19890426	EP 1988-810561	19880817 <--
EP 313512	A3	19900404		
EP 313512	B1	19921125		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
AT 82668	E	19921215	AT 1988-810561	19880817 <--
ES 2052772	T3	19940716	ES 1988-810561	19880817 <--
US 4931581	A	19900605	US 1988-234241	19880818 <--
DK 8804676	A	19890222	DK 1988-4676	19880819 <--
ZA 8806157	A	19890426	ZA 1988-6157	19880819 <--
HU 47797	A2	19890428	HU 1988-4408	19880819 <--
HU 210904	B	19950928		
AU 8821156	A1	19890518	AU 1988-21156	19880819 <--
AU 620558	B2	19920220		
DD 282609	A5	19900919	DD 1988-319083	19880819 <--
IL 87503	A1	19941229	IL 1988-87503	19880819 <--
CA 1339571	A1	19971209	CA 1988-575243	19880819 <--
CZ 285601	B6	19990915	CZ 1988-5703	19880819 <--
SK 281188	B6	20010118	SK 1988-5703	19880819
JP 01090176	A2	19890406	JP 1988-207990	19880822 <--
JP 2964144	B2	19991018		
CN 1032790	A	19890510	CN 1988-106178	19880822 <--
CN 1025614	B	19940810		
KR 9701484	B1	19970206	KR 1988-10672	19880822 <--
US 5190928	A	19930302	US 1991-683582	19910410 <--
CN 1068471	A	19930203	CN 1992-108687	19920720 <--
CN 1033354	B	19961127		
CN 1068932	A	19930217	CN 1992-108697	19920720 <--
CN 1033299	B	19961120		
US 5523311	A	19960604	US 1995-405488	19950314 <--
PRIORITY APPLN. INFO.:			CH 1987-3229	A 19870821
			EP 1988-810561	A 19880817
			US 1988-234241	A3 19880818
			CN 1988-106178	A 19880822
			US 1990-494190	B1 19900315
			US 1991-683582	A3 19910410
			US 1992-979571	B1 19921120

OTHER SOURCE(S): MARPAT 112:17750

GI For diagram(s), see printed CA Issue.


AB The benzothiadiazoles I (X = H, halo, OH, Me, MeO, CO<sub>2</sub>H, CO<sub>2</sub>Me; Y = H, halo, NO<sub>2</sub>SO<sub>3</sub>H, OH, NH<sub>2</sub>, etc.; Z = CN, CO<sub>2</sub>H, CO<sub>2</sub>Me, CONHNH<sub>2</sub>, CO<sub>2</sub>CH<sub>2</sub>Ph, CONH<sub>2</sub>, etc.) are prepd. as microbicides and plant-immunizing agents against pathogenic microorganisms and viruses. Me 3,5-diamino-2-isopropylthiobenzoate (prepn. given) in conc. HCl was treated with NaNO<sub>2</sub>, at -5°, followed by treatment with hypophosphorous acid to give I (X = Y = H; Z = CO<sub>2</sub>Me) (II). When applied to soil, 0.0002% II immunized tobacco against artificial infection by *Pseudomonas tabaci*.

IT **124371-30-8P**

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of, as plant microbicide, curative and preventive)

RN **124371-30-8** HCAPLUS

CN 1,2,3-Benzothiadiazole-7-carboxylic acid, (2-pyridinylmethylene)hydrazide  
(9CI) (CA INDEX NAME)



L8 ANSWER 40 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing  
References

ACCESSION NUMBER: 1989:644199, HCAPLUS  
DOCUMENT NUMBER: 111:244199  
TITLE: Electrophotographic photoreceptor containing azoalkene or disazoalkene charge-generating pigment  
INVENTOR(S): Hashida, Yoji; Matsumoto, Masakazu; Ishikawa, Shozo  
PATENT ASSIGNEE(S): Canon K. K., Japan  
SOURCE: Jpn. Kokai Tokkyo Koho, 26 pp.  
CODEN: JKXXAF  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 01018151	A2	19890120	JP 1987-175198	19870713 <--
JP 07120055	B4	19951220		

PRIORITY APPLN. INFO.: JP 1987-175198 19870713

AB The title photoreceptor contains in its photosensitive layer a compd. having in its structure a bonding group -N:NCR1:CR2- or -N:NCR3:CR4N:N- (R1-R4 = H, halo, CN, halomethyl, acyl, alkoxycarbonyl, aryloxycarbonyl, alkyl, aralkyl, aryl).


IT 123442-81-9

RL: USES (Uses)  
(electrophotog. charge-generating pigment)

RN 123442-81-9 HCAPLUS

CN 2-Naphthalenecarboxylic acid, 4,4'-[(1,2-dicyano-1,2-ethenediyl)bis(azo-4,1-phenyleneazo)]bis[3-hydroxy-, bis[(2-pyridinylmethylene)hydrazide] (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A

L8 ANSWER 41 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER: 1989:240165 HCAPLUS  
 DOCUMENT NUMBER: 110:240165  
 TITLE: Electrophotographic photoreceptors containing charge-generating disazo pigments  
 INVENTOR(S): Miyazaki, Hajime; Takai, Hideyuki; Kashizaki, Yoshiro; Shiino, Yasuko; Suzuki, Koichi  
 PATENT ASSIGNEE(S): Canon K. K., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 18 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 63282742	A2	19881118	JP 1987-116769	19870515 <--
JP 05016026	B4	19930303		
PRIORITY APPLN. INFO.:			JP 1987-116769	19870515
OTHER SOURCE(S):			MARPAT 110:240165	
GI				



AB In the title photoreceptor having on an elec. conductive support a photoconductive layer, the photoconductive layer contains a disazo pigment I (A1, A2 = coupler residue having phenolic OH; R1, R2 = H, alkyl, alkoxy, halo, CN).


IT 119956-42-2

RL: USES (Uses)

(electrophotog. charge-generating pigment, for improved sensitivity)

RN 119956-42-2 HCAPLUS

CN 2-Naphthalenecarboxylic acid, 4,4'-[(3,8-dicyano-11-oxo-11H-dibenzo[c,f][1,2]diazepine-2,9-diyl)bis(azo)]bis[3-hydroxy-, bis[(2-pyridinylmethylene)hydrazide] (9CI) (CA INDEX NAME)



L8 ANSWER 42 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1989:107066 HCAPLUS

DOCUMENT NUMBER: 110:107066

TITLE: Synthesis and structural studies of chlorobenzoyl and salicyloylhydrazone complexes of tridentate hydrazones

AUTHOR(S): Duggal, H. K.; Agarwala, B. V.

CORPORATE SOURCE: Chem. Lab., Univ. Allahabad, Allahabad, India

SOURCE: Synthesis and Reactivity in Inorganic and Metal-Organic Chemistry (1988), 18(9), 871-9  
CODEN: SRIMCN; ISSN: 0094-5714

DOCUMENT TYPE: Journal

LANGUAGE: English


AB Octahedral ML<sub>2</sub> (M = Co, Cu) and ML<sub>12</sub> (M<sub>1</sub> = Mn, Co, Ni, Cu) were prepd. from 2-pyridinecarboxaldehyde-p-chlorobenzoylhydrazone (HL) and 2-pyridinecarboxaldehyde-salicyloylhydrazone (HL1). The ligands were obtained by treating pyridine-2-carboxaldehyde with the appropriate hydrazide. The complexes were characterized by elemental anal., magnetic moment, and IR spectral methods. The ligands coordinate via oxyimino O, methyleneimino N, and pyridyl N atoms.

IT 18176-38-0P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of)

RN 18176-38-0 HCAPLUS

CN Benzoic acid, 2-hydroxy-, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



L8 ANSWER 43 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1988:414696 HCAPLUS  
DOCUMENT NUMBER: 109:14696  
TITLE: Azoamine derivative charge-generating layer for electrophotographic photoreceptor  
INVENTOR(S): Kawahara, Tatsuro  
PATENT ASSIGNEE(S): Dainippon Ink and Chemicals, Inc., Japan  
SOURCE: Jpn. Kokai Tokkyo Koho, 19 pp.  
CODEN: JKXXAF  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 62258461	A2	19871110	JP 1986-99399	19860501 <--
PRIORITY APPLN. INFO.:			JP 1986-99399	19860501

GI For diagram(s), see printed CA Issue.

AB An electrophotog. photoreceptor suited for use in laser printers is claimed which is provided with a charge-generating layer contg. an azoamine deriv. I [X = II, III; Q = N, NHN=C; R, R1, R2 = H, (un)substituted hydrocarbyl, heterocyclic group; R1R2 may jointly form a ring; Z = (un)substituted hydrocarbon (heterocyclic) ring; Y = divalent org. group contg. a benzene ring and a heterocyclic ring fused to the benzene ring].


IT 114936-68-4

RL: TEM (Technical or engineered material use); USES (Uses)  
(charge-generating layer contg., for electrophotog. photoreceptor)


RN 114936-68-4 HCAPLUS

CN 2-Naphthalenecarboxylic acid, 4,4,4'''-[nitrilotris(4,1-phenyleneazo-4,1-phenylazo)]tris[3-hydroxy-, tris[(2-pyridinylmethylene)hydrazide] (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 2-A




PAGE 2-B



L8 ANSWER 44 OF 124 HCAPLUS COPYRIGHT 2003 ACS on STN



ACCESSION NUMBER: 1988:197186 HCAPLUS  
 DOCUMENT NUMBER: 108:197186  
 TITLE: 2-Pyridylaldehyde 2-thenoylhydrazone: synthesis, identification and reactivity. Study of solid complexes with lead(II), copper(II), silver(I), nickel(II) and cobalt(II)  
 AUTHOR(S): Gimenez Plaza, J.; De Gracia Villodres, E.; Marcos, J. I.  
 CORPORATE SOURCE: Dep. Quim. Anal., Fac. Cienc., Malaga, Spain  
 SOURCE: Anales de Quimica, Serie B: Quimica Inorganica y Quimica Analitica (1987), 83(3), 288-92  
 CODEN: AQSAD3; ISSN: 0211-1349  
 DOCUMENT TYPE: Journal  
 LANGUAGE: Spanish  
 AB 2-Pyridylaldehyde 2-thenoylhydrazone (L), [ML<sub>2</sub>](NO<sub>3</sub>)<sub>2</sub> (M = Pb, Cu), [Ag<sub>2</sub>L<sub>2</sub>](ClO<sub>4</sub>)<sub>2</sub>, and M<sub>1</sub>LC<sub>1</sub>L<sub>2</sub> (M<sub>1</sub> = Co, Ni) were prepd. and characterized by elemental anal., thermal anal., molar cond., magnetic, and IR spectral methods.  
 IT 114011-30-2P, 2-Pyridylaldehyde 2-thenoylhydrazone  
 RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of)  
 RN 114011-30-2 HCAPLUS  
 CN 2-Thiophenecarboxylic acid, (2-pyridinylmethylene)hydrazide (9CI) (CA INDEX NAME)



file caold

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

430.89

732.45

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-61.19

-61.19

FILE 'CAOLD' ENTERED AT 16:58:03 ON 01 OCT 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 16:50:42 ON 01 OCT 2003)

FILE 'REGISTRY' ENTERED AT 16:50:49 ON 01 OCT 2003

L1 STRUCTURE UPLOADED

L2 24 S L1

L3 631 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 16:53:49 ON 01 OCT 2003

L4 163 S L3

FILE 'REGISTRY' ENTERED AT 16:54:07 ON 01 OCT 2003

L5 STRUCTURE UPLOADED

L6 0 S L5

L7 0 S L5 FULL

FILE 'HCAPLUS' ENTERED AT 16:56:39 ON 01 OCT 2003

L8 124 S L4 AND PD < OCTOBER 1999

L9 0 S L8, IBIB ABS FHITSTR, 1-124

FILE 'CAOLD' ENTERED AT 16:58:03 ON 01 OCT 2003

=> s l3

L10 20 L3

=> d l10, all, 1-20

L10 ANSWER 1 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

Full  
Text

AN CA64:5052d CAOLD

TI N,N'-dipyridinecarboxyhydrazine

AU Kato, Tetsuzo; Yamanaka, H.; Teshigawara, T.

DT Patent

PATENT NO.	KIND	DATE
JP 65024182		1965
840-78-8	840-79-9	1452-63-7
		4329-75-3
		6487-66-7

PI JP 65024182 1965

IT 840-78-8 840-79-9 1452-63-7 4329-75-3 6487-66-7

L10 ANSWER 2 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

AN CA62:13069a CAOLD

TI dinitrenes from o-diazides-synthesis of 1,4-dicyano-1,3-butadienes

AU Hall, J. Herbert

IT 787-84-8	835-90-5	835-91-6	840-76-6	840-78-8	840-79-9
849-82-1	895-84-1	1008-99-7			

L10 ANSWER 3 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

AN CA62:10425g CAOLD

TI thiazolidine derivs. - (III)

AU Kretov, A. E.; Bessalyi, A. S.

IT 840-79-9	3163-47-1	3163-49-3	3163-50-6	3163-51-7	3173-81-7
3173-82-8	3173-83-9	3173-84-0	3173-85-1	3173-86-2	3173-87-3
3173-88-4	3173-89-5	3173-90-8	3324-11-6	3324-12-7	3324-13-8
3324-14-9	3324-15-0	3352-46-3	3369-07-1	3428-65-7	3428-66-8
3521-75-3	3521-77-5	3577-22-8	3953-01-3	4280-73-3	4280-74-4



	<u>4308-75-2</u>	<u>4308-76-3</u>	<u>4552-25-4</u>	<u>4575-00-2</u>	<u>4650-17-3</u>	<u>4650-18-4</u>
	<u>4650-19-5</u>	<u>5719-60-8</u>				

L10 ANSWER 4 OF 20 CAOLD COPYRIGHT 2003 ACS on STN  
AN CA62:10425e CAOLD  
TI 2-methylbenzothiazole derivs. - (II)  
AU Gmernicka-Haftek, Cecylia; Biniecki, S.  
IT 840-79-9 3163-47-1 3315-04-6 3315-05-7 3315-06-8 3521-75-3  
4575-00-2 4604-21-1

L10 ANSWER 5 OF 20 CAOLD COPYRIGHT 2003 ACS on STN  
AN CA62:8065f CAOLD  
TI monoamine oxidase inhibitors - (V) hydrazine derivs. of BzOH  
AU Bojarska-Dahlig, Halina; Misterek, J.  
IT 956-07-0 1215-52-7 1215-53-8 1215-54-9 1215-55-0 1219-41-6  
1219-42-7 1507-93-3 1642-96-2 3485-68-5 92960-57-1

L10 ANSWER 6 OF 20 CAOLD COPYRIGHT 2003 ACS on STN  
AN CA60:14467c CAOLD  
TI hydrazine derivs. of pyridylacetic acids  
AU Bojarska-Dahlig, Halina  
IT 15017-22-8 15017-24-0 19731-03-4 19731-08-9 91803-33-7 91803-34-8  
91803-35-9 91803-36-0 91803-37-1 92023-82-0 92023-83-1 92023-84-2  
92166-26-2 92193-23-2 92193-24-3 92193-25-4 92193-26-5 92193-27-6  
92193-28-7 92193-29-8 92296-25-8 92296-26-9 92296-27-0 92296-28-1  
92296-29-2 92375-73-0 92375-74-1 92852-21-6 92852-22-7 93353-07-2  
93353-08-3 93944-12-8 97738-74-4 98110-70-4

L10 ANSWER 7 OF 20 CAOLD COPYRIGHT 2003 ACS on STN  
AN CA57:16471i CAOLD  
TI synthesis of  $\alpha$ - and  $\beta$ -amino ketone analogs of amino acids as  
antibacterial agents  
AU Cheng, Shu-Sing; Jonsson, S.; Semeniuk, F. T.  
IT 794-43-4 840-78-8 840-79-9 895-84-1 1032-67-3 1530-73-0  
1909-25-7 4329-75-3 4402-22-6 5467-71-0 5467-72-1 5861-96-1  
6941-17-9 6941-18-0 7146-65-8 7148-94-9 7495-59-2 7495-61-6  
7495-62-7 7495-63-8 7495-64-9 14160-05-5 16735-19-6 19437-20-8  
29620-62-0 43100-26-1 54571-25-4 59282-61-0 59900-28-6 69673-99-0  
82585-51-1 88894-29-5 89776-34-1 89937-63-3 90726-46-8 90874-60-5  
90922-29-5 90943-28-5 92367-83-4 92498-10-7 92789-59-8 93148-81-3  
93724-37-9 93729-32-9 95441-57-9 98341-72-1 98363-47-4 98883-57-9  
100233-28-1

L10 ANSWER 8 OF 20 CAOLD COPYRIGHT 2003 ACS on STN  
AN CA57:15609f CAOLD  
TI antibacterial activity and chem. structure of isoniazid derivs.  
AU Kakimoto, Shichiro  
IT 553-53-7 555-90-8 840-78-8 840-79-9 1200-00-6 1452-63-7  
1452-77-3 1627-73-2 2196-13-6 2227-79-4 2845-82-1 2929-81-9  
3390-77-0 3608-75-1 3758-59-6 4608-25-7 4621-66-3 4714-67-4  
4714-68-5 4714-69-6 5346-38-3 5351-17-7 6957-91-1 13025-99-5  
15017-22-8 15017-23-9 15017-24-0 15017-26-2 15017-27-3 15017-31-9  
15017-32-0 19353-92-5 20842-45-9 41764-73-2 60838-24-6 61690-97-9

L10 ANSWER 9 OF 20 CAOLD COPYRIGHT 2003 ACS on STN  
AN CA57:307b CAOLD  
TI nuclear magnetic resonance spectra of pyridine derivs.  
AU Bruegel, Werner  
IT 91-02-1 93-60-7 101-82-6 372-48-5 452-58-4 492-73-9  
553-53-7 620-08-6 624-28-2 626-06-2 626-64-2 636-73-7

<u>840-79-9</u>	<u>934-60-1</u>	<u>1003-56-1</u>	<u>1072-98-6</u>	<u>1120-87-2</u>	<u>1121-25-1</u>
<u>1121-78-4</u>	<u>1122-54-9</u>	<u>1122-58-3</u>	<u>1122-71-0</u>	<u>1122-72-1</u>	<u>1126-74-5</u>
<u>1129-30-2</u>	<u>1135-32-6</u>	<u>1193-92-6</u>	<u>1195-40-0</u>	<u>1452-63-7</u>	<u>1452-77-3</u>
<u>1532-97-4</u>	<u>1603-40-3</u>	<u>1620-75-3</u>	<u>1721-12-6</u>	<u>1721-23-9</u>	<u>1721-25-1</u>
<u>1721-26-2</u>	<u>2116-65-6</u>	<u>2196-13-6</u>	<u>2402-77-9</u>	<u>2457-47-8</u>	<u>2767-90-0</u>
<u>2851-68-5</u>	<u>2893-33-6</u>	<u>3731-51-9</u>	<u>3731-52-0</u>	<u>3731-53-1</u>	<u>4363-93-3</u>
<u>4621-66-3</u>	<u>5006-66-6</u>	<u>5133-70-0</u>	<u>5140-81-8</u>	<u>5220-59-7</u>	<u>5220-62-2</u>
<u>5220-65-5</u>	<u>5221-42-1</u>	<u>5231-96-9</u>	<u>5255-67-4</u>	<u>5340-88-5</u>	<u>5344-27-4</u>
<u>5346-38-3</u>	<u>5424-19-1</u>	<u>5470-96-2</u>	<u>5860-71-9</u>	<u>5867-45-8</u>	<u>5933-30-2</u>
<u>6268-43-5</u>	<u>6281-32-9</u>	<u>6298-19-7</u>	<u>6332-56-5</u>	<u>6443-85-2</u>	<u>6627-60-7</u>
<u>6627-95-8</u>	<u>6938-06-3</u>	<u>6940-57-4</u>	<u>6950-04-5</u>	<u>6971-44-4</u>	<u>6971-57-9</u>
<u>13287-67-7</u>	<u>13841-66-2</u>	<u>14548-46-0</u>	<u>15009-91-3</u>	<u>15793-94-9</u>	<u>16110-09-1</u>
<u>18088-10-3</u>	<u>20172-97-8</u>	<u>20173-04-0</u>	<u>21035-59-6</u>	<u>23687-25-4</u>	<u>26482-54-2</u>
<u>27361-16-6</u>	<u>33399-48-3</u>	<u>33403-97-3</u>	<u>39640-52-3</u>	<u>41727-17-7</u>	<u>45988-16-7</u>
<u>51290-78-9</u>	<u>54401-85-3</u>	<u>54416-76-1</u>	<u>66416-49-7</u>	<u>68654-52-4</u>	<u>78904-88-8</u>
<u>84200-07-7</u>	<u>84753-20-8</u>	<u>89942-53-0</u>	<u>89976-64-7</u>	<u>90872-73-4</u>	<u>90915-41-6</u>
<u>92334-02-6</u>					

L10 ANSWER 10 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

AN CA56:10141h CAOLD

TI synthesis of pyrazinoic acid derivs. - (I) derivs. of pyrazinoic acid, aminopyrazine, pyrazinohydrazide, and pyrazinecarboxaldehyde

AU Kakemi, Kiichiro; Uno, T.; Arita, T.; Nakao, H.; Shimada, I.; Ikegami, Y.; Kitazawa, S.

IT	<u>4923-14-2</u>	<u>54571-24-3</u>	<u>54571-25-4</u>	<u>57229-37-5</u>	<u>87814-40-2</u>	<u>89977-72-0</u>
	<u>90766-06-6</u>	<u>90920-35-7</u>	<u>91091-40-6</u>	<u>91093-38-8</u>	<u>91093-39-9</u>	<u>91093-40-2</u>
	<u>91136-11-7</u>	<u>91182-98-8</u>	<u>91978-96-0</u>	<u>92222-15-6</u>	<u>93138-24-0</u>	<u>93691-30-6</u>
	<u>93906-19-5</u>	<u>94782-82-8</u>	<u>94782-83-9</u>	<u>94785-59-8</u>	<u>94785-68-9</u>	<u>94785-69-0</u>
	<u>94785-70-3</u>	<u>94785-71-4</u>	<u>94785-72-5</u>	<u>94984-02-8</u>	<u>95173-77-6</u>	<u>95389-73-4</u>
	<u>95444-50-1</u>	<u>95915-77-8</u>	<u>96716-50-6</u>	<u>96716-51-7</u>	<u>96982-40-0</u>	<u>96984-50-8</u>
	<u>97834-56-5</u>					

L10 ANSWER 11 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

AN CA55:21117i CAOLD

TI synthesis of acyl derivs. of hydrazides of pyridine- and furancarboxylic acids

AU Grekov, A. P.; Nesynov, E. P.

IT	<u>27293-28-3</u>	<u>54571-23-2</u>	<u>56352-72-8</u>	<u>56352-73-9</u>	<u>56352-74-0</u>	<u>56352-75-1</u>
	<u>56352-76-2</u>	<u>56352-77-3</u>	<u>56352-82-0</u>	<u>56352-83-1</u>	<u>56352-84-2</u>	

L10 ANSWER 12 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

Full  
Text

AN CA55:16571e CAOLD

TI amides and hydrazones of podophyllic and picropodophyllic acids

AU Rutschmann, Juerg

PA Sandoz Ltd.

DT Patent

PATENT NO.	KIND	DATE
-----	-----	----

PI	<u>US 2977359</u>	1961
----	-------------------	------

CH 361293

DE 1112988

GB 886427

IT	<u>78178-40-2</u>	<u>119249-75-1</u>	<u>119324-59-3</u>	<u>119338-80-6</u>	<u>119338-81-7</u>	<u>119433-22-6</u>
	<u>119477-17-7</u>	<u>119533-27-6</u>	<u>119616-98-7</u>	<u>119617-09-3</u>	<u>120024-10-4</u>	<u>120057-20-7</u>
	<u>120335-99-1</u>	<u>120793-40-0</u>	<u>120830-13-9</u>	<u>120830-14-0</u>	<u>120925-23-7</u>	<u>121426-81-1</u>
	<u>121991-26-2</u>	<u>121991-27-3</u>	<u>122087-72-3</u>	<u>122087-73-4</u>	<u>122492-77-7</u>	<u>122492-88-0</u>
	<u>122565-54-2</u>	<u>124107-87-5</u>	<u>124143-73-3</u>	<u>124222-97-5</u>	<u>124222-98-6</u>	<u>124245-73-4</u>
	<u>124245-74-5</u>	<u>124289-55-0</u>	<u>124289-56-1</u>	<u>124289-57-2</u>	<u>124289-58-3</u>	<u>124338-42-7</u>

124338-43-8 124376-45-0 124376-46-1 124377-93-1 125520-92-5 125520-93-6  
125520-95-8 125520-96-9 125520-98-1 125637-12-9 125637-13-0 125637-14-1  
125638-59-7

L10 ANSWER 13 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

AN CA55:8659a CAOLD

TI action of psychotropic drugs on respiration and blood pressure

AU Schuetz, Ernst

TI structure and antibacterial activity of isoniazid analogs

AU Kakimoto, Shichiro; Krueger-Thiemer, E.; Wempe, E.

IT 104-06-3 113-59-7 140-87-4 146-54-3 303-69-5 536-33-4  
553-53-7 555-90-8 613-94-5 840-78-8 840-79-9 936-02-7  
937-39-3 969-99-3 1200-00-6 1452-63-7 1452-77-3 1453-82-3  
1904-58-1 2196-13-6 2361-27-5 2845-82-1 3326-71-4 3538-69-0  
3608-75-1 4329-75-3 4608-25-7 4621-66-3 5346-38-3 10120-63-5  
15017-22-8 23690-11-1 60838-24-6 61690-97-9 65978-86-1 69583-00-2  
98488-11-0 98594-24-2 100714-47-4 100867-63-8

L10 ANSWER 14 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

AN CA54:7694g CAOLD

TI antitubercular compds. - (XVI) prepn. of some derivs. of  
2,1,3-benzothiadiazole

AU Sekikawa, Isao

IT 16405-98-4 22978-62-7 24722-30-3 65858-50-6 71605-72-6 74375-65-8  
98550-17-5 99620-31-2 100706-85-2 101676-56-6 101676-57-7 103101-12-8  
108950-38-5 110529-74-3 115758-58-2 117100-44-4 117883-21-3 117889-22-2

L10 ANSWER 15 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

AN CA54:3411i CAOLD

TI picoline - (I) derivs. of pyridine-2-aldehyde and pyridine-2-carboxylic  
acid

AU Profft, Elmar; Schneider, F.; Beyer, H.

IT 603-41-8 2506-30-1 3939-03-5 5325-66-6 5337-48-4 6337-41-3  
6839-89-0 6954-28-5 14255-55-1 20842-77-7 36763-33-4 41855-82-7  
62294-99-9 68160-61-2 71172-77-5 100252-07-1 100377-21-7 100956-06-7  
101092-76-6 101259-13-6 102439-95-2 102452-27-7 102665-59-8 103097-54-7  
103161-49-5 103162-45-4 104338-34-3 104338-80-9 105516-38-9 109452-64-4  
109507-40-6 110150-49-7 111500-12-0 114165-98-9

L10 ANSWER 16 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

Full  
Text

AN CA54:412e CAOLD

TI isothioureia compds.

AU Urbschat, Ewald

PA Farbenfabriken Bayer Akt.-Ges.

DT Patent

PATENT NO.      KIND      DATE

-----

PI DE 1003715

IT 3694-47-1 3694-48-2 18176-38-0 101935-21-1

L10 ANSWER 17 OF 20 CAOLD COPYRIGHT 2003 ACS on STN

Full  
Text

AN CA53:22023g CAOLD

TI N,N'-bis(pyridinecarbonyl)hydrazines

AU Miksch, Johannes

PA Chemische Fabrik Joh. A. Benckiser G.m.b.H.

DT Patent

	PATENT 'NO.	KIND	DATE
PI	DE 1001987		
IT	<u>840-78-8</u>	<u>840-79-9</u>	<u>4329-75-3</u>
L10	ANSWER 18 OF 20 CAOLD COPYRIGHT 2003 ACS on STN		
AN	CA52:4634c CAOLD		
TI	N-oxides and related compds. - (VI) derivs. of 2-aminopyridine 1-oxide		
AU	Katritzky, A. R.		
IT	<u>840-79-9</u>	<u>2845-82-1</u>	<u>4936-27-0</u> <u>5678-33-1</u> <u>23589-33-5</u> <u>33191-04-7</u>
	<u>41322-67-2</u>	<u>57097-28-6</u>	<u>57097-32-2</u> <u>59027-71-3</u> <u>65246-03-9</u> <u>84043-86-7</u>
	<u>99169-92-3</u>	<u>99170-29-3</u>	<u>103860-34-0</u> <u>104742-54-3</u> <u>107892-37-5</u> <u>109587-42-0</u>
	<u>112843-16-0</u>	<u>114959-65-8</u>	
L10	ANSWER 19 OF 20 CAOLD COPYRIGHT 2003 ACS on STN		
AN	CA51:3594e CAOLD		
TI	prepn. of $\alpha$ -amino aldehydes-mechanism of the reaction		
AU	Kirrmann, Albert; Riehl, J. J.		
IT	<u>4638-79-3</u>	<u>7114-36-5</u>	<u>15017-26-2</u> <u>15017-27-3</u> <u>20842-45-9</u> <u>21087-52-5</u>
	<u>36713-40-3</u>	<u>100608-66-0</u>	<u>103756-21-4</u> <u>109410-56-2</u>
L10	ANSWER 20 OF 20 CAOLD COPYRIGHT 2003 ACS on STN		
AN	CA51:3594c CAOLD		
TI	antitubercular compds. - (X) condensation products of aldehydes and acid hydrazides of the pyridine group		
AU	Kakimoto, Shichiro; Yamamoto, K.		
IT	<u>13025-99-5</u>	<u>15017-22-8</u>	<u>15017-23-9</u> <u>15017-24-0</u> <u>15017-26-2</u> <u>15017-27-3</u>
	<u>15017-31-9</u>	<u>15017-32-0</u>	<u>20842-45-9</u>

=&gt; log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

12.40

744.85

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-61.19

STN INTERNATIONAL LOGOFF AT 16:58:39 ON 01 OCT 2003